

TWO SECTIONS

JANUARY, 1938

SECTION 2

# S · A · E JOURNAL



Index to Volumes 40 and 41

JANUARY-DECEMBER, 1937

Society of Automotive Engineers, Inc.  
Twenty-Nine West Thirty-Ninth Street  
New York City

---

---

# S. A. E. JOURNAL

## INDEX TO VOLUMES 40 AND 41, JANUARY-DECEMBER, 1937

Entries preceded by two letters refer to the general editorial section which has a separate series of page numbers for each issue.

Entries not preceded by such letters refer to the Transac-

tions section which has consecutive page numbers throughout Volumes 40 and 41.

The following table indicates the pages contained in each monthly issue:

January Jn 13-24, 1-44, 25-44  
February Fe 13-24, 45-80, 25-70  
March Mr 13-24, 81-128, 25-32  
April Ap 13-24, 129-172, 25-52

May My 13-24, 173-220, 25-52  
June Je 13-32, 221-272, 33-50  
July Jl 13-24, 273-324, 25-32  
August Ag 13-24, 325-380, 25-44

September Se 13-24, 381-436, 25-44  
October Oc 13-24, 437-492, 25-31  
November No 13-16, 493-544, 17-36  
December De 13-20, 545-596, 21-34

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

## Author Index

AUTHOR	TITLE OF PAPER	PAGE
Abell, Carl	Exploring the Inside of a Modern Engine at 5000 Shots per Second	(N) Je 34
Agler, W. B.	Vehicle Maintenance by Utilization of Special Instrumentation	(N) Ap 24
Aitken, Murray	Buses for Mass Transportation	(N) Ag 30
Alden, R. C., and D. G. Proudfoot	Some Improvements Relating to Seasonal Gasoline and Lubricating Oil	(N) No 26
Aldrich, E. W., and O. C. Bridgeman	Engine and Laboratory Tests of Stability of Aviation Oils	(P) 483
Allen, H. H.	Safety Regulations	(N) Jn 33
Anderson, Major F. B.	Modern Blind Flying Technique	(N) Je 32
Anderson, Paul	Portland's Motor-Vehicle Inspection Station	(N) My 33
Anglada, Joseph A.	Development and Trend in Truck Designs	(N) De 26
Anthony, C. G.	Automotive High-Speed Diesel Engine in Heavy-Duty Transport	(N) Fe 30, 50
Arnold, Fred G.	Effect of Design and Construction on Maintenance and Overhaul of Naval Aircraft	(N) No 26
Arnoldi, Walter E.	Nitric Oxide in the Exhaust Gases of Internal-Combustion Engines	(N) Se 44
Axelson, Capt. O. A.	Throttle Stops	(N) My 24 (N) Jl 32
Bachman, B. B.	Engineering Facts in Support of the Camel-Back Truck	(N) Ag 24
Bachman, B. B.	Notes on Applying Diesel Engines to Trucks	(N) Fe 30, 52 (N) My 30 (N) Ag 30 (P) 173
Baker, C. F., and E. Martin	The Constant-Speed Propeller; Development of Its Control	(P) 34
Ball, John K., R. J. Minshall, and F. P. Laudan	Problems in Design and Construction of Large Aircraft	(P) 67
Banzi, Joe	Midget Racing	(N) Ag 36
Barnard, D. P.	Value of Octane Numbers in Flying	(N) Ap 17 (N) My 42 (P) 415
Barnard, H. E.	Industrial Crops	(N) Mr 27
Bartholomew, Earl, and Cleveland Walcutt	A Springless Bouncing-Pin Indicator	(N) Je 26 (N) Se 30
Bassett, John, and Chris Bockius	Brakes - Can They Take It?	(N) De 16
Beale, E. S. L., and Richard Stansfield	The Sunbury Knock Indicator	(N) Je 26 (N) Se 30 (E) 436
Beall, A. L.	Selections of Oils for High-Output Aircraft Engines	(P) 48
Beall, A. L.	The 1500 Hp. Engine	(N) Oc 14
Beall, A. L., and S. D. Heron	Flexible Exhaust-Valve Seats	(N) Ap 26 (N) My 46
Bedford, Lieut. S. R.	Application of Small Diesel Engines in the Navy	(N) Ag 36
Belinn, C. M.	Aircraft Production Problems	(N) Je 31
Benninghoff, W. E.	The "Tocco" Process of Hardening	(N) Fe 58 (N) My 34 (P) 370
Bentley, G. P., C. S. Draper and H. H. Willis	Vibration Measurement in Flight	(N) Ap 19 (N) My 44 (P) 428
Berliner, Henry A.	European Aircraft Production Equipment	(N) No 26

AUTHOR	TITLE OF PAPER	PAGE
Best, Robert D.	Essentials of Fuel Utilization in Diesel Engines of the Automotive Type (N) No 27	
Biermann, Arnold E.	The Design of Metal Fins for Air-Cooled Engines (N) Ap 20 (N) My 46 (P) 388	
Bird, W. F.	Textile Manufacture and Research (N) Je 30 (N) Oc 26-D (N) De 28	
Blackburn, G. F., M. F. Peters, and P. T. Hannen	Electrical Character of the Spark Discharge of Automotive Ignition Systems (N) Je 19 (N) Se 29	
Blackwood, A. J.	Some Recent Observations on American and European High-Speed Diesels (N) Ag 40	
Bockius, Chris	Why Clutches Get That Way (N) No 20	
Bockius, Chris, and John Bassett	Brakes - Can They Take It? (N) De 16	
Boerlage, G. D., and A. G. Cattaneo	A Spark-Plug Adapted for Measuring Cylinder-Head Temperatures (N) Fe 28, 48 (P) 151	
Bonnalie, Allan	Development of Air Transportation Equipment (N) Jl 26	
Booth, James H.	What the Tourist Trailer Means to the Car Manufacturer (N) Je 20 (N) Se 38 (P) 221	
Boston, J. P., M. F. Peters, and H. K. King	An Investigation of Mica Spark-Plugs (N) Je 19 (N) Se 29	
Bouchard, C. L., C. F. Taylor, and E. S. Taylor	Variables Affecting Flame Speed in the Otto-Cycle Engine (N) Je 18 (N) Se 30 (P) 514	
Boyd, T. A.	Research Is Road to Progress (N) Fe 55	
Boyd, T. A., John M. Campbell, and Wheeler G. Lovell	Relative Knocking Characteristics of Motor Fuels in Service (N) Fe 28, 49 (P) 144	
Brede, O. M.	Has Maintenance Kept Pace with Transportation? (N) Jl 26	
Breese, Robert P.	Automatic Shifting (N) Mr 27	
Bridgeman, O. C.	Engine and Laboratory Tests of Stability of Aviation Oils (N) Ap 17 (N) My 42	
Bridgeman, O. C.	The Problem of Ring-Sticking in Aviation Engines (N) Fe 19, 31 (P) 545	
Bridgeman, O. C., and E. W. Aldrich	Engine and Laboratory Tests of Stability of Aviation Oils (P) 483	
Brooks, F. A.	Tractor Air-Cleaner Performance in Dust Clouds (N) My 33 (N) Oc 26-D (E) 492	
Brown, Howard D.	Modern Body Structure and the Service Problem (N) Fe 31, 44 (E) 164	
Brown, Lowell H.	Fuel Saving from Efficient Streamlining (N) Mr 27	
Brownback, H. L.	Design Trends in French Aircraft Engines and Propellers (N) Ap 20 (N) My 50 (E) Jl 18	
Brownback, H. L.	Factors Influencing Aircraft-Engine Development in France (N) Ap 20 (N) My 50 (E) Jl 18	
Bubb, Harry D.	Valve Steels (N) Mr 29	
Buck, R. S., and A. L. MacClain	Flight Testing With a Torque Indicator (N) No 14	
Budd, Edward G.	The Aircraft Trend in Body Structural Design (N) Fe 30, 43 (P) 65 (D) 224	
Bull, A. W., and M. K. Jessup	A New Method for Testing Tractor Tires (N) Oc 26-B (N) No 36	
Burgess, C. P.	Aeronautics in Naval Architecture (P) 13	
Burnett, R. B.	Maintenance of Transport Airplanes (N) My 28	
Burns, Bruce	Aircraft Spotwelding Efforts Benefit Many Industries (P) 99	
Cadwell, Sidney M.	Recent Developments in the Rubber Industry (N) Fe 60	
Caldwell, F. W.	The Vibration Problem in Aircraft Propeller Designing (N) Ap 19 (N) My 44 (P) 372	
Caldwell, F. W., E. Martin, and T. B. Rhines	The Constant-Speed Propeller; Its Performance (P) 28	
Cameron, William H.	The Decentralization of Industry (N) Jn 27 (N) My 30	
Campbell, Arch F.	Economic Place of Automotive Oil Engines (N) No 15 (E) 10	
Campbell, Arch F.	Oil Vs. Gasoline Engines (N) No 15 (E) 10	
Campbell, John M., Wheeler G. Lovell, and T. A. Boyd	Relative Knocking Characteristics of Motor Fuels in Service (N) Fe 28, 49 (P) 144	
Carpenter, D. M.	Factory Equipment and Tooling (N) No 26	

Abbreviations Used:

Months of the Year			
January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

AUTHOR	TITLE OF PAPER	PAGE
Carter, Boake	United States' Sphere of Influence in the Western Hemisphere (N) De 13	
Cass, Robert	C.O.E. Vs. Conventional Truck Maintenance (N) Je 22 (N) Ag 24 (N) Se 29 (E) 283	
Cattaneo, A. G., and G. D. Boerlage	A Spark-Plug Adapted for Measuring Cylinder-Head Temperatures (N) Fe 28, 48 (P) 151	
Chapman, M. J.	Aluminum Alloy Die Castings (N) No 26	
Chenault, A. H., and Frank R. Elliott	Elliott Independently-Driven Supercharger (N) Ag 24	
Christmas, Major John K.	Commercial Motor Vehicles in the Military Service (N) No 20	
Clower, James I.	Oil Filters in Public Utility Fleet Operation (N) My 21 (N) Jl 32 (P) 381	
Collins, John H., Jr., and Charles S. Moore	Compression-Ignition Engine Performance at Altitude (N) Fe 30, 51 (P) 263	
Cooper, Edwin O.	Aircraft Engine Maintenance (N) Jl 27 (N) No 36	
Cooper, I. O.	Air Transportation (N) Ap 33	
Copeland, A.	Control of Air Traffic at Detroit City Airport (N) My 33	
Crawford, R. F.	Development of Air Transport (N) Ag 40	
Crecelius, Henry R.	Body Design and Construction (N) No 21	
Critchfield, R. M.	Modern Automotive Electrical Equipment (N) Ap 37 (P) 358	
Cronstedt, Val, and R. N. DuBois	High Output in Aircraft Engines (N) Fe 33, 36 (P) 225	
Crowley, C. A., and F. A. Faville	Evaluation of Extreme-Pressure Lubricants (N) No 27	
Cumming, W. J.	Fleet History as a Guide to Maintenance (N) De 17	
Cumming, W. J.	Preventive Maintenance as Applied to Automotive Engines, Transmissions, and Axles (N) My 32	
Cummins, C. L.	Servicing of Diesel Engines (N) Ap 36	
Cummins, C. L.	The Development of the Diesel Around Oil Country Problems (N) No 15	
Dagner, O. E.	Truck Developments (N) Fe 57	
Damon, R. S.	One Airline's Fleet (E) 66	
Damon, R. S.	Problems in Airline Operation (E) 66	
Davenport, W. W.	Automotive Cleaning Agents (N) Je 35	
Davidson, W. J.	An Automobile Engineer Looks at Highway Safety (N) Fe 16, 30 (P) Ap 13	
Davies, J. M., E. W. Jackson, and G. C. Riegel	Factors Influencing Diesel Fuel-Injection Design (N) Je 38 (N) Ag 29 (E) 420	
Davies, J. M., E. W. Jackson, and G. C. Riegel	Some Factors Affecting the Design and Performance of Diesel Fuel-Injection Equipment (N) Je 38 (N) Ag 29 (E) 420	
Davis, Capt. Fred	Douglas DC-4 (N) Je 34	
Davis, Harry G.	The Cavalcade of Farm Mechanization (N) Fe 32, 47	
de Laubenfels, C. R.	Drop-Hammer Processes and Possibilities (N) No 26	
Delzell, H. W.	The Use of Liquid Weight in Farm Tractor Tires (N) Oc 26-B (N) No 35	
Draper, C. S., G. P. Bentley, and H. H. Willis	Vibration Measurement in Flight (N) Ap 19 (N) My 44 (P) 428	
Delaval-Crow, T. C.	Ball-Bearings and Ball-Bearing Applications (N) Ap 32	
Delbridge, T. G.	Petroleum Products for Automotive Service (N) Mr 23	
DeMott, R. H.	Sales Engineering (N) Fe 60	
De Sakhnoffsky, Count Alexis	Artistic Streamlining Against the Wind Tunnel (N) Je 14 (N) Se 40	
Devine, Alfred W.	Headlights and Safety (N) Jn 28	
Domonoske, A. B.	The Design Trends of American and Foreign Cars (N) Jn 31	
Drake, H. W.	Mechanical Condition vs. Highway Safety (N) Ap 39	
DuBois, R. N., and Val Cronstedt	High Output in Aircraft Engines (N) Fe 33, 36 (P) 225	
Echlin, J. E.	Ignition Problems (N) Oc 24	
Eckener, Hugo	The Airship and Its Place in Modern Transportation (N) Fe 14, 33 (P) 190	
Edgar, J. A.	Laboratory Tests on Lubricants (N) Fe 56	
Edwards, H. C.	Application of Port Bypass Fuel-Injection Pumps (N) Je 37 (N) Ag 29	
Eldridge, L. C.	The Relation of Cleanliness to Better Lubrication and Motor Car Economy (N) De 29	
Eldredge, K. R., and J. R. MacGregor	Spark-Advance Indicator (N) Je 26 (N) Se 38	
Elliott, Frank R., and A. H. Chenault	Elliott Independently-Driven Supercharger (N) Ag 24	
Esch, Ernst	The Motorization of Germany (N) No 21	
Everett, H. A.	High-Pressure Viscosity as an Explanation of Apparent Oiliness (N) Je 39 (N) Se 30 (P) 531	
Fairbank, H. S., and Thomas H. MacDonald	Relating Highway Planning to the Traffic Requirements (N) Fe 17, 30	
Fales, Dean A.	Review of 1938 Models (N) De 25	

AUTHOR	TITLE OF PAPER	PAGE
Faulkner, F. L.	Rating a 14,000-lb. Gross Vehicle Weight Motor Truck (N) No 15	
Faulkner, F. L.	Vehicle Design from a Maintenance and Operating Standpoint (N) Fe 28, 45 (P) 129	
Faville, F. A., and C. A. Crowley	Evaluation of Extreme-Pressure Lubricants (N) No 27	
Fedden, A. H. R.	Trend of Air-Cooled Aero Engines - The Next Five Years (N) Je 15 (N) Se 29 (P) 437	
Fenner, H. E.	Diesel Fuel-Injection Systems (N) Ap 35	
Flahive, F. B.	Executive Control of Public Utility Fleet Operations (N) My 23 (N) Jl 32 (E) 472	
Flahive, F. B.	The Throttle-Stop in Light Fleet Units (N) My 23 (N) Jl 32 (E) 472	
Floyd, R. K.	One Year's Lubrication Experience with Hypoids (N) No 15 (E) 580	
Folsom, L. T., and J. R. MacGregor	Automatic Speed-Load Dynamometer Control (N) Je 26 (N) Se 38	
Fordney, Major C. L.	Flights in the Stratosphere (N) Je 31	
Fowler, H. D.	The Practical Application of Fowler Flaps (N) Ap 26 (N) My 44	
Frey, J. J.	High Octane Fuels (N) My 32	
Gagg, R. F.	The Determination of Ratings for Transport Aircraft Engines (N) Ap 26 (N) My 48 (P) 400	
Gaylord, R. P.	The Traction of Pneumatic Tractor Tires (N) Oc 26-B (N) No 36	
Geschelin, Joseph	Mass Production and Modernization of Factory Equipment (N) Ap 32	
Geschelin, Joseph	The Trend of Passenger Car Design for 1937 - And Future Trends (N) Jn 34	
Geschelin, Joseph	What's New in the New Cars (N) De 24	
Glynn, F. K.	Economics of Truck Selection (N) De 26	
Glynn, F. K.	Opportunities for Young Engineers in Fleet Operation (N) Mr 31	
Gordon, A. B.	Reclamation of Automotive Parts (N) Ag 36	
Good, Lieut. Com. R. F.	Cetane Numbers - Life Size (N) Fe 30, 51 (P) 232	
Gray, Harold E.	Radio Shielding on Air Transports (N) Je 18 (N) Se 29 (P) 527	
Gregory, A. T.	Features of the In-Line Air-Cooled Aircraft Engine (N) Je 17 (N) Se 30 (P) 473	
Greig, J. W.	Automobile Body Structure (N) Jn 34	
Griswold, W. R.	Hypoid Rear-Axle Design and Lubrication (N) Jn 30 (N) Fe 32, 50 (N) Jl 26 (P) 194	
Halsey, Maxwell	Building Safety and Facility into the Roadway (N) Fe 61	
Halsey, Maxwell	Traffic and Safety (N) Jn 28	
Hamilton, Erwin H.	Some Recent Developments in Aircraft Engines (N) Fe 60	
Hamilton, W. A.	Engine Maintenance from the Operator's Viewpoint (N) No 24	
Hannen, P. T., M. F. Peters and G. F. Blackburn	Electrical Character of the Spark Discharge of Automotive Ignition Systems (N) Je 19 (N) Se 29	
Hartney, Col. Harold E.	Safety in Air Transport (N) Jn 33 (N) Ag 44	
Harvey, J. A.	The Design and Maintenance Problem of 30 and 40 Passenger Buses (N) No 29	
Harvey, W. G.	The Manufacture, Characteristics and Uses of Magnesium Castings (N) No 25	
Heath, H. J., and K. R. Van Horn	Quality Control of Aluminum Alloy Aircraft Castings (N) No 25	
Heldt, P. M.	Powerplant Possibilities of the Immediate and the More Remote Future (N) Fe 19, 32	
Heldt, P. M.	Automatic Transmissions (N) Mr 23 (P) 206	
Henkle, Thomas H.	High Speed Trains (N) My 31 (N) Se 44	
Heron, S. D., and A. L. Beall	Flexible Exhaust-Valve Seats (N) Ap 26 (N) My 46	
Herreshoff, A. G.	Report of Trailer Hitch Standardization (N) Je 20	
Herrington, A. W. S.	Automotive Equipment in Geophysics Research Work (N) No 26	
Herrington, A. W. S.	The Automotive Picture in Germany (E) 21	
Herrington, A. W. S.	Variable Transportation Problems of the World (E) 21	

# Abbreviations Used:

January, Jn  
February, Fe  
March, Mr  
April, Ap  
May, My  
June, Je

Months of the Year  
July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

AUTHOR	TITLE OF PAPER	PAGE
Hill, Henry C.	Trends in Air-Transport Engine Design and Performance (N) Fe 54 (N) Ag 44	
Hinkley, C. C.	Elementary Theory of the Diesel Engine (N) Ag 30	
Hocy, W. B.	Thermo-Setting Molding Practice (N) Ag 42	
Hoglund, G. O.	Spotwelding and Seamwelding the Aluminum Alloys (N) Fe 32, 53 (P) 57	
Holaday, W. M., and G. T. Moore	Development of an Altitude Knock Test Method (N) Fe 28, 49	
Holloman, Capt. G. V.	Army Signal Landing System (N) My 32	
Holtzclaw, J. G.	How the SAE Can Be Helpful to Public Utility Operators (N) My 20	
Horine, Merrill C.	Fundamentals of Vehicle Performance (N) Je 23 (N) Se 30 (P) Ag 13	
Houghton, Howard D.	Designing for the Use of Aluminum-Alloy Forgings and Extrusions in Aircraft Production (E) 121	
Houghton, Howard D.	Forgings Vs. Castings in Aircraft Production (E) 121	
Houser, W. A.	General Automobile Service Problem (N) De 28	
Humphrey, S. M.	Electric Spotwelding in the Manufacture of Wheels and Rims (N) Oc 26-C	
Hunt, John H.	Automobile Design and Safety (N) Je 14 (N) Se 30 (N) No 16 (P) 349	
Jackson, E. W., J. M. Davies, and G. C. Riegel	Factors Influencing Diesel Fuel-Injection Design (N) Je 38 (N) Ag 29 (E) 420	
Jackson, E. W., J. M. Davies, and G. C. Riegel	Some Factors Affecting the Design and Performance of Diesel Fuel-Injection Equipment (N) Je 38 (N) Ag 29 (E) 420	
Jacobs, Eastman N.	Laminar and Turbulent Boundary Layers as Affecting Practical Aerodynamics (N) Ap 26 (N) '4y 44 (P) 468	
Jahn, E. W.	Results in Non-Changing Motor Oil (N) My 52 (N) Jl 32 (E) 526	
Jehle, Ferdinand	Application of Your College Training to Engineering (N) Ag 30	
Jennings, Henry	Special Equipment for Maintaining Commercial Fleets (N) No 24	
Jessup, M. K., and A. W. Bull	A New Method for Testing Tractor Tires (N) Oc 26-B (N) No 36	
Johnson, Claude	Hypoid Gears in Service (N) My 33	
Johnson, J. B.	Aircraft-Engine Materials (N) Fe 33, 64 (P) 153	
Johnson, Lieut. Col. J. H.	Commercial Motor Vehicles in the Military Service (N) No 20	
Johnson, Robert E.	Development of Successful Engine Installations (N) No 24	
Johnson, S., Jr.	Air Clutch and Transmission Control (N) Mr 27	
Johnson, S., Jr.	Operating the Modern Vehicle with Air Brakes and Air Control (N) Ag 38	
Johnson, S., Jr.	Sales Engineering (N) Fe 61	
Johnston, S. Paul	Air-Transport Development Abroad (N) Je 31	
Jouett, Col. J. H.	Designing and Building for the Commercial Aircraft Market (N) Ag 40	
Jumper, F. J.	Diesel Streamliners - Operating and Maintenance Problems and Economics (N) Je 42 (N) Se 42	
Jury, J. E.	Extreme-Pressure Lubricants and 1937 Hypoid-Axle Service (N) Jn 28	
Killick, Victor W.	Can We Build Automobiles to Keep Drivers Out of Trouble? (N) Ag 40	
King, H. K., M. F. Peters, and J. P. Boston	An Investigation of Mica Spark-Plugs (N) Je 19 (N) Se 29	
Kishline, F. F.	The Development of Superchargers and High-Compression Engines (N) Ag 36	
Knauss, Stanley E.	The Chassisless or Unit-Car Question (N) Fe 30, 44 (P) 120	
Kreml, F. M.	1940? (N) Fe 17	
Kretz, R. J.	Servicing Diesel Engines (E) 371	
Kretz, R. J.	Servicing of Multicylinder Diesel Engines (N) Je 38 (N) Ag 29	
Kreyer, J. G.	Conditions Affecting Tire Life and Some Special Uses of Agricultural Tractor Tires (N) Oc 26-B (N) No 35	
Land, Edwin H.	"Polaroid" (P) 19 (D) 110	
Lane, Paul S.	Wear, What It Is (N) Mr 23	
Larson, C. M.	Effect of Addition Agents on Piston and Ring Performance (N) Je 36 (N) Ag 29 (E) 547	
Larson, C. M.	Need for Simplifying Recommendations of Transmissions and Rear-Axle Lubricants (N) Je 48 (N) Se 40	
Laudan, F. P., R. J. Minshall, and John K. Ball	Problems in Design and Construction of Large Aircraft (P) 67	
Laurie, G. W.	Preventive Maintenance on the Chassis (N) Ap 32	
Lavers, A. W., and W. E. Swenson	A Vision-Lined Engine for a Vision-Lined Tractor (N) De 26	

AUTHOR	TITLE OF PAPER	PAGE
Lerner, Morris R.	Diesel Engines in Transportation	(N) Ag 30
Leslie, John C.	Engineering Problems in Trans-Oceanic Flying	(N) Ag 30
Litchfield, P. W.	The Development of the Rubber-Tired Tractor During the Past Five Years	(N) Oc 26-A
Littlewood, William	Modern Air Transports	(N) Je 31
Lord, J. W.	A Study of the Safe Driver	(N) My 24 (N) Je 31 (N) Jl 32
Losson, W. L.	Carburetion of Engines for Long-Range Flight	(N) Ap 20 (N) My 46
Lovell, Wheeler G., John M. Campbell, and T. A. Boyd	Relative Knocking Characteristics of Motor Fuels in Service	(N) Fe 28, 49 (P) 144
Lowther, W. W.	Crankcase Ventilation and Sludge	(N) Je 36 (N) Ag 29
Macauley, J. B., Gilbert Way, and Sidney Oldberg	A Spark-Advance Indicator and Knock Rating Observations	(N) Je 26 (N) Se 38 (P) 521
MacClain, A. L., and R. S. Buck	Flight Testing With a Torque Indicator	(N) No 14
MacCoull, Neil	The Effect of Knock Intensity on Fuel Knock Ratings	(N) Fe 29, 50
MacDonald, Thomas H., and H. S. Fairbank	Relating Highway Planning to the Traffic Requirements	(N) Fe 17, 30
MacGregor, J. R.	The Influence of Humidity on Knock Ratings	(N) Fe 29, 50 (P) 243
MacGregor, J. R., and L. T. Folsom	Automatic Speed-Load Dynamometer Control	(N) Je 26 (N) Se 38
MacGregor, J. R., and K. R. Eldredge	Spark-Advance Indicator	(N) Je 26 (N) Se 38
Mallett, E. A.	Resistance Welding in the Tractor Industry	(N) Je 37 (N) Ag 29
Mann, R. W.	Truck Developments	(N) Fe 57
Marsh, Burton W.	Building Better Drivers	(N) Mr 22
Marsh, Burton W.	Safety Courses in High Schools	(N) Jn 33
Marsh, Burton W.	Traffic Accidents and What We Can Do About Them	(N) Ap 40
Martin, A. D.	Fuel Research	(N) No 23
Martin, E., and C. F. Baker	The Constant-Speed Propeller; Development of Its Control	(P) 34
Martin, E., F. W. Caldwell, and T. B. Rhines	The Constant-Speed Propeller; Its Performance	(P) 28
Mathews, H. O.	21-25 Passenger Bus Design from the Operator's Viewpoint	(N) No 28
Matson, Capt. J. M.	Motor Vehicle Operation and Maintenance	(N) Ag 30
Maverick, George M.	Modern Trends in Motor Oils	(N) Ap 35 (N) Se 42
Maxon, C. R.	Die Castings for Automotive Parts	(N) Ap 33 (P) 293
Maxwell, C. R.	Interesting Phases Disclosed in Diesel-Fuel-Injection-Equipment Development	(N) Ap 24
McCarroll, George	Sleeper Buses and Their Functional Design	(N) My 31 (N) Oc 26-D
McCarroll, R. H.	Development of Automotive Materials	(N) No 21
McCarroll, R. H.	Laminated Safety Glass	(P) 11
McCarty, L. C., Jr.	Ocean Air Transportation	(N) Fe 32, 53 (N) Je 31 (P) My 13
McCune, Joseph C.	Principal Factors in the Brake Problem of High-Speed Diesel Trains as Related to Automotive Practice	(N) Fe 60
McIntyre, H. J.	Job Study and Production Analysis	(N) Jn 29
McKay, Senator Douglas	Highlights in the History of the Automotive Industry	(N) Je 34
McLeod, Milton K.	The Measurement of Engine Friction	(N) Fe 33, 66
McQuaid, Harry W.	How the Metallurgist Makes It Tough for Engineers and Production Men	(N) Jn 29
Mead, George J.	Aircraft Powerplant Trends	(N) Je 16 (N) Se 29 (P) 455
Meals, A. D.	Precision Cylindrical Grinding	(P) 1
Melcher, Lee W.	Propane-Fueled Railway Ice Engine	(N) No 20
Merritt, Harry C.	Some Problems That Are of Interest to the Farm-Machinery and Rubber Industries	(N) Oc 26-A
Metcalf, I. R.	Blind Landing Systems Installed at Indianapolis Municipal Airport	(N) My 32
Middlekamp, J. H.	Prevention of Recurring Failures	(N) De 16

# Abbreviations Used:

Months of the Year			
January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

AUTHOR	TITLE OF PAPER	PAGE
Midgley, Thomas, Jr.	Research	(N) My 30
Milburn, Lessiter C.	Trans-Atlantic Flight	(N) Fe 61
Miller, George	Budget Control in a Big Car Plant	(N) Fe 33, 68 (E) 143
Miller, George	Budgeting Expense and Cost of Handling Materials in Automotive Plants	(N) Fe 33, 68 (E) 143
Minshall, R. J., John K. Ball, and F. P. Laudan	Problems in Design and Construction of Large Aircraft	(P) 67
Moore, Charles S., and John H. Collins, Jr.	Compression-Ignition Engine Performance at Altitude	(N) Fe 30, 51 (P) 263
Moore, G. T., and W. M. Holaday	Effect of Altitude on Octane-Number Determination	(N) Fe 28, 49
Morris, Major Joseph T.	Maintenance Problems of Army Airplanes	(N) No 26
Morrison, Lacey H.	Value of Diesels in Truck Field	(N) Ap 39
Mosey, C. K.	Coil and Condenser Relationship	(N) No 24
Moxey, John G.	Semi-Trailers vs. Six-Wheelers	(N) De 28
Murphy, M. J.	Development of the Murphy Diesel Engine	(N) Se 40
Murray, H. Austin	History of Diesel Development	(N) Ap 35
Murrow, Lacy V.	A New Highway Code	(N) Je 30 (N) Oc 26-D
Neely, G. L.	Lubrication Trend in 1937 Car Design	(N) Jn 31 (N) Mr 30 (N) Ag 42
Neely, G. L.	High Oiliness - Low Wear?	(N) Je 26 (N) Se 30 (P) 548
Norris, R. F.	Automotive Air Conditioning	(N) No 28
Norris, R. F.	Passenger-Car Air Filters	(E) 18
Nutt, Arthur	European Aviation Engines	(N) Ap 16 (N) My 50 (P) Jl 13
Odell, L. L.	Design Trends as Affecting Ground Facilities	(N) Ap 20 (N) My 50
Ogden, Dr. Eric	Physiological Conditions in Driving Safely	(N) Ag 38
Oldberg, Sidney, Max M. Roensch, and Maynard Yeasting	Valve-Gear and Crankshaft Vibration Studies with Cathode-Ray Oscillograph	(N) Je 26 (N) Se 38
Oldberg, Sidney, Gilbert Way, and J. B. Macauley	A Spark-Advance Indicator and Knock-Rating Observations	(N) Je 26 (N) Se 38 (P) 521
Oldfield, Lee	Review of 1938 Models	(N) De 30
Olley, Maurice	Independent Wheel Suspensions	(N) Jl 25
Orr, G. Verne	Highlights of Southern California's Great Automotive Industry	(N) My 29
Ostrand, Lieut. J. A.	Army Motorization	(N) Jn 29
Oswald, John	The Body Designer's Future	(N) De 24 (P) 595
Otake, Shotaro	Automotive Activities in Japan	(N) Jn 32
Partiot, Maurice	Automatic Transmissions - Here and Abroad	(N) Mr 24
Patras, Floyd	Evolution of Bus-Fleet Maintenance Practices	(N) No 26 (P) 566
Perkins, Kendall	The Sub-Stratosphere Transport Airplane	(N) Mr 22
Peters, M. F., H. K. King, and J. P. Boston	An Investigation of Mica Spark-Plugs	(N) Je 19 (N) Se 29
Peters, M. F., G. F. Blackburn, and P. T. Hannen	Electrical Character of the Spark Discharge of Automotive Ignition Systems	(N) Je 19 (N) Se 29
Peterson, C. D.	Rear-Engine Clutch and Transmission Developments	(N) Fe 29, 47 (N) Mr 27
Peterson, C. D.	Transmissions for Heavy-Duty, Commercial, and Mass-Transportation Vehicles	(N) My 50
Pitchford, J. H., and H. R. Ricardo	Design Developments in European Automotive Diesel Engines	(N) Je 40 (N) Se 42 (P) 405
Ploehn, John H.	Steel, Implement and Tractor Wheels for Rubber Tires	(N) Oc 26-C (N) No 35
Plumb, R. A.	The Supercharger - Its Progress and Prospects	(N) Je 32 (N) No 36
Pollard, W. R.	Efficient and Economical Operation of Automotive Equipment of a Public Utility	(N) My 23 (N) Jl 32
Pope, A. W., Jr.	A Mechanical Solution of the Diesel Engine Piston Ring-Sticking Problem	(N) Fe 18, 31
Powers, Ralph	Electrical Control of Industrial Units	(N) Fe 29, 48
Prescott, Ford L.	Aircraft-Engine Reduction Gears	(N) Ap 25 (N) My 46
Proudfoot, D. G., and R. C. Alden	Some Improvements Relating to Seasonal Gasoline and Lubricating Oil	(N) No 26
Pyper, Fred C.	Developments in Close Machining Practice in Automotive Production	(N) Fe 33, 70
Ragsdale, Col. E. J. W.	Advantages of Stainless Steel for Aircraft	(N) No 24 (E) 596

AUTHOR	TITLE OF PAPER	PAGE
Ragsdale, Col. E. J. W.	Engineering for Production in Stainless Steel (N) No 24 (E) 596	
Ray, J. Y.	Pooling of Passenger Car Equipment (N) My 52 (N) Jl 32	
Reeves, Alfred	What's Ahead for the Automobile Industry (N) De 28	
Rendel, T. B.	Fuels for High-Speed Diesel Engines (N) Je 32 (N) Oc 26-D	
Rendel, T. B.	Report of the Volunteer Group for Compression-Ignition Fuel Research (N) Je 40 (N) Se 40	
Reynolds, H. C.	Regulation and Safety (N) Je 30 (N) Oc 26-D	
Rhines, T. B., F. W. Caldwell, and E. Martin	The Constant-Speed Propeller; Its Performance (P) 28	
Rhode, Richard V.	Gust Loads on Airplanes (N) Fe 32, 52 (P) 81	
Ricardo, H. R., and J. H. Pitchford	Design Developments in European Automotive Diesel Engines (N) Je 40 (N) Se 42 (P) 405	
Richards, T. O.	The Future for Engineers (N) Jn 32	
Riegel, G. C., J. M. Davies, and E. W. Jackson	Factors Influencing Diesel Fuel-Injection Design (N) Je 38 (N) Ag 29 (E) 420	
Riegel, G. C., J. M. Davies, and E. W. Jackson	Some Factors Affecting the Design and Performance of Diesel Fuel-Injection Equipment (N) Je 38 (N) Ag 29 (E) 420	
Robertson, S. B.	Standardization of Sizes of Tractor Tires (N) Oc 26-A	
Roensch, Max M.	Observations on Cylinder-Bore Wear (N) Fe 18, 31 (P) 89	
Roensch, Max M., Maynard Yeasting, and Sidney Oldberg	Valve-Gear and Crankshaft Vibration Studies with Cathode-Ray Oscillograph (N) Je 26 (N) Se 38	
Rose, R. A., and C. G. Wilson	Behavior of High- and Low-Cetane Diesel Fuels (N) Je 40 (N) Se 40 (P) 343	
Rose, R. S.	Truck Developments (N) Fe 57	
Rosen, C. G. A.	Engine Temperature as Affecting Lubrication and Ring-Sticking (N) Fe 18, 31 (P) 165	
Rosen, C. G. A.	The American Picture - Diesel Fuel Research (N) Ag 38 (P) 393	
Rothrock, A. M.	A Visual Study in a Displacer-Piston Compression-Ignition Engine (P) 22	
Rumely, V. P.	The Tractor - Brother to the Automobile (N) Fe 32, 47	
Ruth, Joseph P.	Supercharger Developments (N) My 34	
Saunders, L. P.	Cooling Problems of the Internal Combustion Engine (N) Mr 27 (N) Ag 44 (N) De 24	
Schelp, Helmut	Alcohol Blends in Gasoline (N) Ag 30	
Schildhauer, C. H.	Operating Problems of Flying Boats (E) 98	
Schildhauer, C. H.	The Set-Up for Trans-Pacific Operation (E) 98	
Schlegel, John	Blazing Atlantic Air Trail (N) De 24	
Schon, Pierre	Cab-Over-Engine Trucks - Their Place in Transportation (N) Je 20 (N) Ag 24 (N) Se 29 (P) 421	
Schon, Pierre	Rating a 14,000-lb. Gross Vehicle Weight Truck (N) No 15	
Seljé, Frederic A.	Function in Modern Styling (N) Je 14 (N) Se 42 (P) 507	
Sheldrick, L. S.	The Evolution of the Automobile (N) No 21	
Shidle, Norman G.	Looking at the Future of Car Design Through 1937 Trends (P) Jn 13	
Shidle, Norman G.	Where Current Design Trends Are Pointing (N) De 26	
Shimer, W. R.	Sheet Steel in Present Car Design (N) Ag 30	
Shogran, Ivar L.	Aircraft Engine Installations (N) Jl 27 (N) No 36	
Short, Mac	Bringing the Private Owner Airplane Up to Date (N) No 27	
Sikorsky, Igor I.	Flying Clippers Today and Tomorrow (N) De 17	
Sloan, R. R.	Why Use Good Lubricating Oil? (N) De 29	
Smith, Allen	Modernizing Moving Parts in Aircraft (N) My 33	
Smith, Philip H.	Retreading (N) No 28	
Smith, Philip H.	Where Is the Trailer Going? (N) Jn 32 (N) Fe 20, 29 (P) 45	
Smith, T. C.	Utility Trucks, Cabs, Bodies and Auxiliary Equipment (N) My 22 (N) Jl 32 (P) 273	
Soucek, Lieut. V. H.	Naval Aircraft Engines (N) Ag 38	
Springer, Eric	Production Control (N) No 25	
Stansfield, Richard, and E. S. L. Beale	The Sunbury Knock Indicator (N) Je 26 (N) Se 30 (E) 436	
Stout, W. B.	Future Developments (N) Fe 58	
Stout, W. B.	The Future - Just a Few Years Ahead (N) My 29	

Abbreviations Used:

Months of the Year			
January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

AUTHOR	TITLE OF PAPER	PAGE
Stromme, Major Joseph L.	Procurement Planning in the United States Army Air Corps (N) No 25 (E) 554	
Stromme, Major Joseph L.	The Cost of National Defense (N) No 25 (E) 554	
Swain, J. G.	Farm Tractor and Implement Rim Problems (N) Oc 26-C (N) No 35	
Swenson, W. E., and A. W. Lavers	A Vision-Lined Engine for a Vision-Lined Tractor (N) De 26	
Taub, Alex	Bridging the Gap Between Designer and Machine-Tool Man (N) Fe 60	
Taylor, C. F.	Correcting Diesel Performance to Standard Atmospheric Conditions (N) Fe 29, 51 (P) 312	
Taylor, C. F., C. L. Bouchard, and E. S. Taylor	Variables Affecting Flame Speed in the Otto-Cycle Engine (N) Je 18 (N) Se 30 (P) 514	
Taylor, E. S., C. L. Bouchard, and C. F. Taylor	Variables Affecting Flame Speed in the Otto-Cycle Engine (N) Je 18 (N) Se 30 (P) 514	
Teetor, Ralph R.	The Advantages of the S.A.E. to Operators - Automotive and Aeronautic (N) Jn 27	
Teetor, Ralph, and John A. C. Warner	Keeping the Automotive Industry Young (N) Jn 27, Jn 31	
Templin, Ellis W.	Crankcase-Oil Temperature Control (N) Je 24 (N) Se 30 (P) 325; 520	
Thomas, J. W.	The Use of Rubber Tires on Farm Tractors (N) Oc 26-A	
Thomas, Dr. James S.	The Engineer's Social Responsibility (N) Fe 29, 48	
Tomlinson, D. W.	Personal Experiences in Sub-Stratosphere Flight (N) Mr 22	
Treiber, O. D.	Diesel Engines (N) Ap 34	
Treiber, O. D.	Diesel Engines in Highway-Transport Service (N) Mr 24	
Treiber, O. D.	Recent developments in Automotive Type Diesel Engines (N) Je 30	
Triplett, Tom A.	X-Rays and Gamma Rays - Their Industrial Application (P) 122	
Tyler, John M.	Aircraft-Engine Installation Vibration Problems (P) 252	
Upson, R. H.	Airplane Structure (N) Jn 34	
Upson, Ralph H.	The Aircraft Trend in Body Design from the Aircraft Viewpoint (N) Fe 31, 44 (P) 291	
Vallier, Archie	Theoretical and Practical Sides of Ethyl Gasoline (N) Mr 28	
VanHorn, K. R., and H. J. Heath	Quality Control of Aluminum Alloy Aircraft Castings (N) No 25	
Walcutt, Cleveland, and Earl Bartholomew	A Springless Bouncing-Pin Indicator (N) Je 26 (N) Se 30	
Walker, A. R.	Diesel Power on Railroads (N) Je 34	
Walls, J. F.	Cast Camshafts and Crankshafts (N) Mr 28 (P) 284	
Ward, J. Carlton, Jr.	Plant Layout and Production Methods for Modern Aircraft Engines (P) 178	
Warner, John A. C.	As the S.A.E. Advances (N) Ap 24 (N) My 21	
Warner, John A. C.	Headlighting (N) No 16	
Warner, John A. C.	S.A.E. Activities (N) No 15	
Warner, John A. C.	Technical Improvements in New Cars (N) De 28	
Warner, John A. C., and Ralph Teetor	Keeping the Automotive Industry Young (N) Jn 27, Jn 31	
Way, G. W., Sidney Oldberg, and J. B. Macauley	A Spark-Advance Indicator and Knock-Rating Observations (N) Je 26 (N) Se 38 (P) 521	
Weaver, Henry G.	Customer Research (N) De 24	
Weber, E. F.	High-Speed Diesel-Electric Zephyr-Type Trains (N) Mr 29 (N) Je 32 (N) Se 42	
Weick, Fred E.	Tricycle Landing Gear (N) Oc 15	
Wells, C. J.	Automobile Finishes (N) De 30	
Wenzel, C. L.	Functions and Operation of the Tire and Rim Association (N) Oc 26-C (N) No 35	
West, H. O.	Interior Finish and Arrangement of Transport Airplanes (N) Ap 20 (N) My 48	
White, S. O.	Some Transmission Developments (N) My 28 (N) Se 44	
Whitham, Glenn S.	Old and New Maintenance Methods (N) No 24	
Willgoos, A. V. D.	Pratt and Whitney Twin Wasp SB3G Engine (N) Fe 54 (N) Ag 44	
Willgoos, A. V. D.	The Two-Row Radial Engine (N) Mr 22	
Willis, F. B.	Salesmanship in Engineering (N) My 28	
Willis, H. H., G. P. Bentley, and C. S. Draper	Vibration Measurement in Flight (N) Ap 19 (N) My 44 (P) 428	
Wilson, Billings	Truck Problems in Tunnel Operation (N) De 17	
Wilson, G. C., and R. A. Rose	Behavior of High- and Low-Cetane Fuels (N) Je 40 (N) Se 40 (P) 343	
Wilson, Robert E.	Chemical Hay for Mechanical Horses (N) De 28	

AUTHOR	TITLE OF PAPER	PAGE
Winans, E. W.	Door Location - Fore and Aft or Aft of the Front Axle (N) Je 24 (N) Ag 24	
Winchester, J. F.	Lubrication and Transportation Riddle for 1937 (N) Jn 31 (N) Ag 42	
Winkler, H. E.	Engine-Temperature Control Factors (N) Fe 29, 46 (P) 111	
Winslow, Charles A.	Oil Filters (N) My 33 (N) Oc 26-D	
Witham, W. A.	Hypoid Gears, Axles and Lubricants (N) Je 42 (N) Se 38 (P) 509	
Wittnebert, F. R.	Flaw Detection in Steels (N) De 30	
Wolf, Austin M.	Automatic Transmissions (N) Mr 24 (P) 303	
Wolf, Austin M.	Cab-Over-Engine Trucks - Their Status and Advance in Design (N) Je 21 (N) Se 29 (P) 571	
Wolf, Austin M.	Gear-Shift Changes Are Spotlighted in 1938 Design Trends (N) De 26, 28 (P) 493	
Wolf, Austin M.	Transmissions for Automotive Vehicles (N) My 34	
Wolf, Austin M.	Trends in 1937 Car Design (N) Jn 29	
Wood, Donald H.	Design of Cowlings for Air-Cooled Aircraft Engines (N) No 14 (P) 581	
Wood, Gar	Detroit's Premier Speedboat Racer (N) Ap 40	
Woolson, H. T.	Engineering Is Caretaker of Future of Civilization (N) Fe 15 (N) No 16 (P) Mr 13	
Woolson, H. T.	The National Aspect of the Automotive Industry (N) Jn 27	
Woolson, H. T.	The Usefulness of the S.A.E. to Its Members (N) Ap 24	
Worth, Weldon	Lubrication and Cooling Problems of Aircraft Engines (N) Ap 26 (N) My 48 (P) 315	
Yeasting, Maynard, Max M. Roensch, and Sidney Oldberg	Valve-Gear and Crankshaft Vibration Studies with Cathode-Ray Oscillograph (N) Je 26 (N) Se 38	
Young, Fred M.	Engine Cooling Problems (N) No 26	
Young, G. P.	Plastics in the Aircraft Industry (N) No 26	
Young, Raymond W.	Development of Air Transport Power Plants (N) My 30	
Young, R. W.	Ten Years' Progress in Airplane Powerplants (N) Je 31	
Zimmerli, F. P.	Helical-Coiled Springs (N) Ap 40	
Zwahl, C. E.	Hypoid Lubricants - Test Results and Their Interpretation (N) My 29 (P) 555	

## Discusser Index

DISCUSSE	PAGE	DISCUSSE	PAGE	DISCUSSE	PAGE
Ballard, J. H.	97	Garton, F. L., and H. L. Kemmerer	544, 552	Moore, Charles S.	241
Barnard, E. R.	538, 552	Gerschler, James	128	Morris, E. W.	107
Bartholomew, Earl	249	Greenshields, R. J.	148	Neely, G. L.	204, 541
Becker, C. F.	55	Hebl, L. E.	148	Pinkel, Benjamin	594
Bridgeman, O. C.	542	Hibert, C. L.	108	Platt, Maurice	224
Burwell, A. W.	541, 552	Horine, M. C.	177	Reid, Elliott G.	80
Burton, Edward F.	80	Hutchins, W. C.	109	Rendel, T. B.	242
Christen, Harvey	128	Karelitz, G. B.	543	Roper, Val J.	20
Clower, James I.	540	Kemmerer, H. L., and F. L. Garton	544, 552	Saunders, L. P.	117
Coe, Lieut. Charles F.	56	Land, E. H.	110	Schey, Oscar W.	594
Cummings, H. K.	164	Lane, Paul S.	96	Schweitzer, P. H.	242
Davis, G. H. B.	541, 553	Larson, C. M.	56	Setchkin, Nicholas P.	241
DeJuhasz, K. J.	543	Lay, W. E.	538	Stansfield, R.	150, 242
Dickinson, H. C.	537	Lichty, L. C.	520	Tilley, N. N.	482
Edgar, Graham	148	Lindsey, C. B.	97	Van Thijn, H. E.	108
Ellerbrock, H. H., Jr.	595	MacCoull, Neil	553	Welty, G. D.	162
Fairlie, M.	544, 552	Marvin, Charles F., Jr.	520	Winchester, J. F.	177
Farrar, Earl V.	262	Moller, J. A.	553	Wood, Wilbur G.	128
Faville, F. A.	539, 553	Moore, Jr., C. C.	251	Wysor, Henry	164
				Zink, George A.	163

### Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

### Months of the Year

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

(D) indicates discussion published; (E) indicates excerpt published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

January, 1938

## Subject Index

A		PAGE	Accidents and Accident Prevention (Concluded)	PAGE
<b>Accidents and Accident Prevention</b>			Road factor	Fe 17, Fe 30, Fe 61; Ap 14, Ap 15
<b>Aircraft</b>			Speed factor	Fe 16; Mr 22; Ap 13, Ap 14, Ap 15; Je 15; De 26
American vs. European		Jn 33	Statistics	Fe 16, Fe 17
Causes analyzed		Jn 33; Ag 44	Time of day factor	19, 20, 21; 350, 356
Comparison with railroads		Jn 33	Traffic control factor	Jn 28; Mr 22
Decrease predicted		Jn 33	Traffic density factor	Ap 14
Diesel and gasoline engines compared		Jl 17	Trailer hitch factor	Je 20, 222
Engine factors		318; 441	Vehicle size factor	Ap 14
Equipment factor		Je 32	Vibration effects	355
Gasoline and Diesel engines compared		Jl 17	Automotive Safety Foundation established	Jl 26
Ice formation		Jl 27	Motorcoach	
Instruments		Je 32	Causes analyzed	Jl 32
Maintenance factor		Je 32	Design factors	
Pilot responsibility		Ap 33	Body and chassis unit construction	121
<b>Preventives</b>			Engine mounting	121
Blind flying development		Jn 33	Steering system	306
Engine improvements		Jn 33	Transmissions, automatic	Mr 24
Engine rating standardization		400, 427	Driver responsibility	Jl 32
Surface vehicles compared with		Ag 44	Fatigue factor	121
<b>Automobile</b>			<b>Motor-Truck</b>	
<b>AN AUTOMOBILE ENGINEER LOOKS AT HIGHWAY SAFETY</b>			Causes analyzed	My 24; Je 30; Jl 32
		Fe 16, Fe 30; Ap 13	Competition effects	Je 30
<b>AUTOMOBILE DESIGN AND SAFETY</b>		Je 14; 349; Se 30; No 16	Design factors	
Carbon monoxide effects		356	Cab	283; 422, 425; 572
Causes analyzed		Fe 17, Fe 30; Ap 14; 349, 355, Ag 38, Ag 40	Cab-over-engine vs. conventional	Je 22
<b>Cost</b>			Visibility	Je 21, Je 22; 422; 572
Increase in		164	Windshield	Je 22
Insurance rates		164	Driver qualifications	My 24
Crash dangers		354, 355	Driver responsibility	Jl 32
Data needed		Ap 14	Importance, early recognition of	My 22, 273
<b>Design factors</b>			<b>Preventives</b>	
Batteries		De 26	Inspection	Ap 39
Body		Ap 15, 164; Je 15; 504, 509	Instruments	My 52
Brakes		Jn 14; Je 14; 351, 352, 357	Legislation	Je 30; Oc 26-D
Bumpers		Ap 15; Je 15; Jl 23; 355	Sportsmanship appeal	Je 31
Data needed		349	Signals, directional, effect of	My 24
Driver location		No 20	Vehicle position factor	Je 31
Engine power		Ap 14	S.A.E. cooperation	Fe 45; Jl 26; Oc 25
Glass, safety		355	S.A.E. function	Je 31
Governors, flexible vs. set speed		Je 15	S.A.E. influence	Mr 15
Governors, speed-limit		356	Trailer, tourist	46
Headlighting		19, Jn 28; Ap 14, Ap 15; Je 14; 349, 350, 351; No 20; De 26	Tunnel operation factors	De 17
Importance of		Fe 16, Fe 17; Ap 14; Je 14, Je 15; Ag 40; No 16	<b>Aeronautical Chamber of Commerce of America</b>	Mr 16; Ap 16
Progress		Jn 14	<b>Air Cleaners</b>	
Recommendations		Ag 40	Dust storm effects	Oc 26-D, 492
Roadability		Ap 14; Je 15; 356, 357, 369	Engine wear reduced by	18
Seats		356	Tractor	My 33; Oc 26-D, 492
Speedometer location		Je 15	Types	
Steering system		Jn 14; Je 15; 355, 357, 369; No 20	Centrifugal	My 33
Tires		357; De 26	"Oil bath"	18; My 33; 492
Ventilation		Je 15; 355, 356	"Oily maze"	18
Visibility		Jn 14; Ap 15; Je 14; 352, 353, 354, 356; 504	<b>Aircraft Design and Construction</b>	
Windshields		Jn 14; 355; 504	GUST LOADS ON AIRPLANES	Fe 32, Fe 52; 81
<b>Direction signal effects</b>		Je 15	LAMINAR AND TURBULENT BOUNDARY LAYERS AS AFFECTING	
Driver responsibility		Fe 17, Fe 61; Mr 22; Je 15; 355, Ag 38, Ag 40	PRACTICAL AERODYNAMICS	Ap 26; My 44; 468
Engineer responsibility		Fe 16; Ap 13, Ap 14, Ap 15	PROBLEMS IN DESIGN AND CONSTRUCTION OF LARGE AIR-	
Fatality rate, 1936 and 1935 compared		Ap 13	CRAFT	67
Fatigue factor		Je 14, Je 15; 355, 356	Aerodynamics research	468, 471
Foreign analysis		Ap 14	Airfoil	
Governors, probable effect of		Ap 14	Aerodynamics of	Ap 26; My 44; 468
Injuries, types of		355	Reynolds number effect	67, 68, 80
Noise effects		355	Selection of	67, 68
Oversteering effects		357	Airplane and hydroplane compared	13
Physiological factors		Ag 38, Ag 40	Air-speed acceleration data	81, 82, 83, 84, 86, 87
<b>Preventives</b>			Automobile contribution to	291
Cooperation of enforcement authorities		Fe 16	Boundary layers	
Driver education		Ap 40	Laminar	Ap 26; My 44; 468
Driver licensing		Fe 16; Ap 15	Turbulent	Ap 26; My 44; 468
Driver selection		Fe 16; Ap 15	Cabin	
Driver tests		Je 15	Baggage availability	My 48
Driver training		Jn 33	Color scheme importance	Ap 20
Efficacy of		Mr 22	Heating	Ap 20
Inspection		Ap 15; My 33; De 26	Requirements, present and future	My 48
Inspection system, Portland, Ore.		My 33	Sleepers	Ap 20
Law enforcement		Ap 15	Soundproofing	Ap 20
Legislation		Jn 33; Fe 16	Commercial	
Maintenance		Ap 15	Passenger transport	
Safety courses		Jn 33	Improvements desired	Ap 20
Sportsmanship appeal		Ap 40	Revenue increase	Ap 20
Radio factor		Je 15; 356	Controls	68, 80
Reduction, need for		Ap 40	Design improvements	Je 31
			Design requirements	68, 69; My 14, My 15

Aircraft Design and Construction (Continued)		PAGE	Aircraft Design and Construction (Continued)		PAGE
Engine installation			Production speed		61, 62
Factors		438	Shop application		60, 61, 62, 63
Problems	Jl 27; No 36		Scamwelding		57, 59, 60
Requirements	No 24		Spotwelding		57, 59
Engines, two vs. four	Oc 14		Control system		No 25
Flutter, tail surface, prevention of	68, 80		Drop hammer		No 26
Flying boats			European practice		No 26
Aluminum alloys used in		16	Factory equipment		No 26
Hulls		16	Fittings		78
Hydroplane compared with		13	Inspection		
Land transports compared with		83	Gamma rays used		123, 126
Progress	My 13, My 14, My 15		X-rays used		
Yachts compared with		16	Advantages		123
Fuselage			Disadvantages		123
Construction types		72	Magnesium		No 25
Monocoque		71, 72	Metal		
Future predicted	Jn 26; 80; My 48		Casting, X-ray inspection of		125, 126, 127, 128
Gusts			Drop hammer usage		75, 76
Duration of	Fe 52, Fe 53		Forging vs. casting		121
Gust gradient data			Heat treatment		76
Analysis of	84, 85, 86, 87		Planning, importance of		No 25
Formulas	84, 85, 86, 87		Plastics		No 25
Kussner's equation	84		Progress		Oc 17
Wagner effect	84		Spar fabrication described		79
Gust-load requirements	Fe 52; 83		Spotwelding		
Intensity of	Fe 53; 83		Cost		105
Sharp-edged	Fe 32, Fe 52; 81		Equipment and methods		100, 105, 106, 110
Speed relation to	83		Future		107, 110
V-G records	Fe 52; 87, 88		Merits		99
Hydroplane and airplane compared		13	Tooling		79
Improvements desired	Jn 34		X-ray inspection		124, 125, 126, 127, 128
Landing gear			Progress		Jc 31
Design described	Jc 34		Propellers		
Tricycle type			THE CONSTANT-SPEED PROPELLER; DEVELOPMENT OF		
Merits	Oc 15		ITS CONTROL		34
Passenger comfort affected by	Oc 15		THE VIBRATION PROBLEM IN AIRCRAFT PROPELLER DE-		
Tests	Oc 15		SIGNING		Ap 19; My 44; 372
Transport airplane use of	Oc 15		Balance		254
Lighter-than-air	14, Jn 26		Connection, flexible vs. non-flexible		Ap 25
Maintenance			Design trends		380
Air Corps system	No 26		Fixed pitch		31
Navy problems	No 26		Foreign developments, French		My 50
Personnel problems	No 26		Hydro-controllable		29, 34
Transoceanic	No 26		Makes, Hamilton		29, 34; 376
Makes			Progress		Jc 31
Boeing	37; 67, 68, 70, 75, 76; 83		Reduction gearing		
China Clipper	Ap 20		Vibration affected by		Ap 25
Douglas	83, 128; Je 16, Je 34; Oc 15, 438		Weight factor		Ap 25
Fairchild	83; 476		Trends		439, 463, 464
Fokker	83		Variable pitch		
Ford	83		Automatic		29, 34
Heinkel	Jl 14		Constant speed		29, 34
Henschel	Jl 14		Control		
Lockheed	128		Centrifugal-governor type		35
Martin	37; 83		Design characteristics		40
Sikorsky	37; 83		Differential speed type		35
Stout Skycar	No 24		Governor spring		40
Metal, advantages	Jn 34		"Hunting" tendencies		40
Naval architecture compared with	13		Oil-rotor type		35
Passenger requirements			Two position		31, 44
Future	My 48		Vibration		
Present	My 48		Causes of		254, 259
Privately owned			Damping		374
Future predicted	Jn 34		Engine effects		373, 376
Military requirements compared with	Ag 40		Excitation sources		373, 374, 375
Progress	No 27		History		372
Production			Research		375, 380
AIRCRAFT SPOTWELDING EFFORTS BENEFIT MANY INDUS-			Resonance test		376
TRIES		99	Stress measurement		379, 380
DESIGNING FOR THE USE OF ALUMINUM-ALLOY FORGINGS			Test data analyzed		378
AND EXTRUSIONS IN AIRCRAFT PRODUCTION		121	Radio shielding		Je 18, Je 19; Se 29; 527
FORGINGS VS. CASTINGS IN AIRCRAFT PRODUCTION		121	Research		68; 472
PLANT LAYOUT AND PRODUCTION METHODS FOR MODERN			Reynolds number		
AIRCRAFT		178	Airflow affected by		469
SPOTWELDING AND SEAMWELDING THE ALUMINUM AL-			Drag affected by		468, 469
LOYS	57; Fe 32, Fe 53		Lift affected by		470
Aluminum	No 25, No 26		Skin friction variation		470
Aluminum alloys			Size		
Resistance welding			Increase in		455
Equipment described		59	Trends	Fe 32; 81; Mr 22; Ap 20; My 48; Je 34; De 17	

Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

	PAGE		PAGE
<b>Aircraft Design and Construction (Concluded)</b>		<b>Aircraft Operation and Performance (Continued)</b>	
Spars		Hydrovanes	
Sheet-shear-web type	80	Advantages	15
Truss-type	71, 79, 80	Disadvantages	15
Standardization, importance of	450	Inspection, flying boat	98
Steel, stainless	No 24, No 25	Instruments used	Jc 32
Streamlining	18	Landing	
Tail surface		Blind landing	My 32
Cantilever	72, 73	Factors involved	My 16, My 17
Design requirements	72	Forced	My 17
Flutter, prevention of	68, 80	Improvement	31
Loading problems	73, 74	Instrument landing	My 32
Rigidity	74	Safety features	My 17
Testing, wind tunnel	468	Systems	
Trends	438, 439, 467	Army signal	My 32
Weight reduction		Bureau of Air Commerce	My 32
Means of obtaining	Jn 34	Bureau of Standards	My 32
Metal vs. fabric	Jn 34	Cooperation important	My 32
Problems involved	Jn 34	Lorenz	My 32
Wings		Lighter-than-air	
Aerodynamics research	468, 471	Advantages	14; 191, 192
Boundary layer types		Airworthiness	190, 191
Laminar	468	Cost	Fe 14; 192, 193
Transition point	469	Future predicted	Fe 14, Fe 15
Turbulent	468	Graf Zeppelin	14; 190
Cantilever	67	Speed	14
Design trends	69, 70, 71	Steamships compared with	14
Flaps, Fowler, merits	Ap 26; My 44, My 46	Maintenance	
Flying boat	69	Cost	
Gust loads	84	Compression-ratio relation to	418, 420
Loading effects	69, 70	Supercharging relation to	418, 420
Loading trends	81	Equipment and methods	My 28, My 29
Metal		Flying boat	98
Construction types	71	Repair bases	My 28
Monocoque	71, 72	Safety emphasized	My 28
Reynolds number		Makes	
Airflow affected by	469	Boeing	415
Drag affected by	468, 469	China Clipper	Fe 53; My 32; Je 32
Lift affected by	470	Commodore	My 13
Skin friction variation	470	Consolidated	My 13
Strength-weight ratio	71	Dornier	My 14, My 15
Thickness		Douglas	415
Drag affected by	448, 462	Lateore	My 14
Engine layout affected by	467	Lockheed	87; 415
Weight	72	Martin	Fe 33; My 15, My 16, My 17
(See also Accidents and Accident Prevention, Aircraft; Aircraft Operation and Performance; Aviation; Engines, Aircraft; and Instruments, Aircraft)		Short "Empire"	My 15
<b>Aircraft Operation and Performance</b>		Sikorsky	My 13, My 14
VALUE OF OCTANE NUMBERS IN FLYING	Ap 17; My 42; 415	Zeppelin	14; 190
OCEAN AIR TRANSPORTATION	Fe 32, Fe 53; My 13; Je 31	Military, automatic constant-speed operation benefits	32
THE AIRSHIP AND ITS PLACE IN MODERN TRANSPORTATION	Fe 14, Fe 33; 190	Noise, propeller	32
Airplane and hydroplane compared	13	Payload	
Airship and airplane, non-competitive	190, 191	Engine types, effect of	440
Altitude effects		Fuel consumption relation to	My 15, My 46
Commercial	My 15	Transoceanic	192, 193
Flight range	Jl 26	Wind effects	My 15
Speed	Jl 26	Physiological effects	31
Sub-stratospheric winds	Mr 23	Progress	Fe 33, Fe 53; Ap 33
Temperature	Mr 23	Propellers	
Balloon flight in stratosphere	Je 31	THE CONSTANT-SPEED PROPELLER; ITS PERFORMANCE	28
Cavitation	15	Makes, Hamilton	29
Climb, engine speed relation to	31	Noise reduction	32
Cost, airship operation	191, 192	Variable-pitch	29
Cruising, engine speed relation to	31	Vibration	33; Ap 19
Drag		Radio shielding	Je 18, Je 19
Factors affecting	445, 447, 448, 449, 450, 462, 463, 464	Revenue	
Propeller effect	32	Methods of calculating	415, 416, 420
Efficiency, propulsion		Octane number relation to	418, 419
Calculation	30	Speed	
Propeller effects	30	Airship	193
Speed relation to	30	Altitude effects	Jl 26
Trends	30	Commercial	My 16
Flight characteristics	68	Future	My 16
Flight range, altitude effects	Jl 26	Increase desired	455
Flying boat		Land plane and seaplane compared	Jl 26
Fuel consumption	13	Landing	My 16, My 17
Hydroplane compared with	13	Passenger-volume requirements relation to	My 16
Land transports compared with	83, 84	Power requirements affected by	455
Merits	Fe 61; My 13	Propulsive efficiency relation to	30
Problems	98	Seaplane and land plane compared	Jl 26
Speeds	Jl 26	Wind effects	My 16
Future predicted	Jn 26; Fe 33, Fe 53; Jl 26	Stratosphere, balloon flight in	Je 31
Ground handling, brakes	69	Stratospheric flight, future of	439
Hydroplane and airplane compared	13	Take-off, propeller effects	31
		Testing	
		Drag	33
		Flight	33
		Instruments used	259, 260

	PAGE		PAGE
<b>Aircraft Operation and Performance (Concluded)</b>		<b>Aluminum and Aluminum Alloys (Concluded)</b>	
Vibration	Ap 19; 428	Aircraft use of	16; 99; No 25, No 26
Transoceanic		Alclad	103
Airplane vs. lighter-than-air	190, 191	Body use, motor-truck	274, 276
Cost factor	De 17	Castings, inspection, X-ray	125, 126, 127, 128
Development	Fe 61	Chemical composition	158
Future predicted	De 17	Engine, aircraft, use	157, 158, 161, 162, 163
Landing speed limitation	My 17	Forging vs. casting	121
Lighter-than-air		Magnesium alloys compared with	157, 160
Advantages	191, 192	Marine use of	16
Cost factor	192, 193	Motorcoach use	59; 120
History	190	Motor-truck use	274, 276
Port location	193	Physical properties	158
Possibilities	190, 191	Pistons	92
Meteorological conditions	190, 191	Welding	
Passenger accommodations	De 17	Seam	57, 59, 60
Problems encountered	98	Spot	57, 59, 64, Fe 53; 99
Speed factor	De 17	American Association of Motor Vehicle Administrators	No 23
Time factor	De 17	American Automobile Association	Jn 33; Ap 40
Traffic	My 13	Automobile Manufacturers Association	Mr 15
Trends	De 17	American Petroleum Institute	Fe 40; Mr 18; 130
Vibration		American Society for Metals	285
VIBRATION MEASUREMENT IN FLIGHT	Ap 19; My 44; 428	American Society for Testing Materials	Fe 41; Mr 18; My 33; Jl 22; Se 15
Aerodynamic causes		American Society of Agricultural Engineers	Jn 20; Fe 57; Mr 17; Jl 23
Buffeting	254, 255	American Society of Mechanical Engineers	Jn 20, Jn 26; Mr 16; Ap 16, Ap 20; My 30; Jl 22, Jl 27; 540, 543
Flutter	254, 255	American Standards Association	12; Fe 57, Fe 58; Jl 22, Jl 27; Se 15, Se 16
Amplifier, integrating	434	American Transit Association	Fe 41
Amplitude of	255, 256	Army	My 30; Je 32; Ag 30; Oc 24; No 25, No 26
Balance		Army and Navy Standards Conferences	Fe 42
Engine	253, 254, 262	<b>Automobile Design and Construction</b>	
Propeller	254	AUTOMOBILE DESIGN AND SAFETY	Je 14; 349; Se 30; No 16
Comfort affected by	252	GEAR-SHIFT CHANGES ARE SPOTLIGHTED IN 1938 DESIGN	
Components of	429	TRENDS	493; De 26, De 28
Damping effects	433	LOOKING AT THE FUTURE OF CAR DESIGN THROUGH 1937	
Damping, importance of	262	TRENDS	Jn 13
Engine effects	253, 254	MODERN AUTOMOTIVE ELECTRICAL EQUIPMENT	Ap 37; 358
Engine types compared	253, 254	Air conditioning	No 28
Excitation		Appearance	
Harmonics of	257	Changes many but not radical	Jn 14
Sources of	253, 254, 257	Trailer, tourist, effects	222
Flight test installation	428	Bumpers	
Flight-test results	429, 430	Mounting-height	Jl 23
History	252	Trailer, tourist, effects	222
Improvements needed	261, 262	Trends	503
Installation effects	259	Comfort	Jn 13, Jn 14, Jn 15
Measurement difficulties	Ap 19	Cooperation between car and trailer designer needed	222
Modes	256, 257	Customer research	
Oscillograph	435	Importance of	De 24
Physiological effects	252, 253	Methods	De 24
Pickup units		Economic influence	Jn 15
Calibration	436	Electrical equipment	
Description	431	Electrical load requirements	
Pickups, typical arrangements of	429	1926 car	358
Propeller	Ap 19; My 44; 254, 259	Present-day car	358
Psychological effects	253	Progress	Ap 37; 359
Quantitative data		Engine mounting, rear	
Equipment used to obtain	428	Future predicted	Jn 14, Jn 15
Need for	428	Interest in	Mr 31
Research	428	Equipment progress	503
Resonant vibration frequencies	253, 256, 259	Future predicted	Jn 15; Fe 55; Mr 31; De 26
Response	255, 256	History	No 21, No 22, No 23
Safety affected by	252, 253	Horns	
Sources of	253	Location	503
Spectrum	258, 259	Mounting	368
Speed relation to	256, 257	Noise comparison, decibels	369
Strain gage	433	Progress	Ap 38; 368
Strain measurements	431, 433	Trends	369
Structural failure affected by	Ap 19	Improvements desired	My 29
Suppression of	261	Lubrication	
Testing	Ap 19; My 42	Progress	503
Weather effects	83, 84, 87, 88	Service points, number of	503
Wings, load trends	69	Makes	
(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aviation; Engines, Aircraft; and Instruments, Aircraft)		Buick	Ap 33; No 13, 493, 498, 499, 500, 501, 502, 503, 504, 505, 506; De 26, De 30
Air Transport Association of America	Mr 16; Ap 16	Cadillac	Ap 32; No 13, 493, 498, 499, 500, 501, 502, 503, 504, 505, 506; De 26
<b>Aluminum and Aluminum Alloys</b>			
DESIGNING FOR THE USE OF ALUMINUM-ALLOY FORGINGS			
AND EXTRUSIONS IN AIRCRAFT PRODUCTION	121		
SPOTWELDING AND SEAMWELDING THE ALUMINUM ALLOYS	Fe 32, 57, Fe 53		

# Abbreviations Used:

January, Jn	April, Ap
February, Fe	May, My
March, Mr	June, Je

July, Jl	October, Oc
August, Ag	November, No
September, Se	December, De

	PAGE		PAGE
<b>Automobile Design and Construction (Concluded)</b>		<b>Automobile Operation and Performance (Concluded)</b>	
Chalmers	No 22	Life of	
Chevrolet	No 13, 493, 498, 499, 500, 502, 503, 504, 505, 506	Average	De 29
Chrysler	No 13, 493, 498, 499, 500, 501, 502, 503, 504, 505	Crankcase oil drainage effects	De 29
Citroen	224	Industrial equipment compared with	De 29
Cord	500, 502	Suggestion regarding	De 29
De Dion	No 22	Lubrication	
De Soto	493, 500, 501, 502, 503, 504, 505, 506	Crankcase oil drainage	De 29
Dodge	No 22, 500, 503, 504, 505	Importance of	De 29
Eisenach	No 22	Oil types required	Jn 31
Ford	11, 12; Mr 24, Mr 29; 500, 501, 502, 503, No 22, No 23	Suggestions regarding	De 29
Franklin	No 22	Maintenance	
Graham	No 13, 493, 499, 501, 502, 503, 504, 505, 506; De 26	Factors affecting	De 28
Hudson	No 13, 498, 499, 500, 501, 502, 503, 504, 505	Importance of	De 29
Hupmobile	493, 502, 503, 504, 505	Lubrication effects	De 29
Lancia	224	Methods and equipment	No 24
La Salle	No 13, 499, 501, 502, 503, 504, 505, 506	Personnel	De 28
Lincoln	No 13, 499, 501, 502, 503, 504, 505; De 26	Oil replenishment vs. drainage	Jl 32
Mercedes	No 22	Progress	No 24
Minerva	208	Safety factors	De 25, De 26
Nash	No 13, 499, 500, 501, 502, 503, 504, 505	Service formula	De 28
Oldsmobile	No 13, 498, 499, 500, 501, 503, 504, 505, 506; De 26, De 30	Speed	
Opel	224	Driver affected by	De 26
Owen Magnetic	217	Engine speed relation to	526
Packard	Jn 30; 194; No 13, 493, 499, 500, 501, 502, 503, 504, 505, 506, 509	Tests, proving-ground	De 26
Peugeot	Mr 24	Trailer, tourist, weight effects	221
Pierce-Arrow	501, No 22	(See also Accidents and Accident Prevention, Automobile; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Fleet Operation; Foreign Design and Operation; Frames; Gears; Generators; Headlighting; Legislation; Lubricants and Lubrication; Motor-coach Operation and Performance; Motor-Truck Operation and Performance; Racing; Riding-Qualities; Springs, Suspension; Steering Systems; Tires and Rims; Transmissions; Universal Joints; and Wheels)	
Plymouth	214, 215; 498, 500, 502, 503, 504, 505, 506	<b>Automotive Industry</b>	
Pontiac	No 13, 498, 500, 501, 503, 504, 505	Agriculture related to	Mr 27
Reo	No 22	Cooperation	
Studebaker	No 13, 493, 498, 499, 500, 501, 502, 503, 504, 505, 506	Machine tool man and designer	Fe 60
Sturtevant	Mr 23; 206	Operator and designer	Ap 24
Trojan	224	Correlation of advertising and sales with engineering	Jn 16
Voisin	208	Customer research	Jn 16; De 24
Willys	499, 504, 506	Engineer-managed	Jn 27
Noise, horn effects	369	Exports	
Objective, Change in	De 26	Air transportation effects	De 24
Plastics used in	503	Maintenance factor	De 24
Progress	Jn 13, Jn 14, Jn 15, Jn 29, Jn 34; Fe 55; No 13, 493, No. 21, No. 22, No. 23; De 25, De 28	Future of	Fe 58
Propeller shafts	499	History	De 26
Radio		Importance of	Mr 14
Equipment	503	Inception of	Mr 14
Progress	Jn 14	Nation influenced by	Ap 24
Reception affected by steel tops	Jn 14, Jn 15, Jn 16	Progress	Jn 13, Jn 14, Jn 15, Jn 16, Jn 27; My 29; Je 34
Refinements vs. radical innovations	Jn 14, Jn 15, Jn 16	S.A.E. relation to	Mr 14, Mr 15
Safety affected by	Je 14, Je 15; De 25, De 26	Tractor industry compared with	Fe 32, Fe 47
Sales influence on	Jn 14	Trends	Mr 15
Selling points	Jn 13, Jn 14	Automotive Safety Foundation	Jl 26
Shock absorbers	No 13; 500, 501	<b>Aviation</b>	
Simplicity, trend toward	De 26	Airports	
Springs		Airplane size effects	Ap 20; My 50
Coil vs. leaf	De 25	Requirements	Ap 20
Independent wheel	De 25	Airship	
Starting motors		Airplane non-competitive	190, 191
Engagement systems	364	Airport location	193
Progress	363, 364	Cost	
Streamlining	No 13	Airplane comparison	191, 192
Style effects	No 13, 493, 504, 505, 507, 508; De 26	Operating	191, 192
Trailer hitches, problems of	222	Hangars, rotating vs. stationary	193
Trailer, tourist, effects	221	Passenger transport	191
Trailer, tourist, problems involved	223	Speed	191
Trends	De 24, De 26, De 28, De 30	Army, instruments used	Je 32
Weight reduction		Bendix Trophy	Fe 14, Fe 16
Chassis parts	Jn 13	Commercial	
Future predicted	My 33	Airship	190, 191, 192, 193
Wheelbases	493	Altitude	My 15
Windshields	353	Cargo, potential	My 13
(See also Accidents and Accident Prevention, Automobile; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Foreign Design and Operation; Frames; Gears; Generators; Headlighting; Legislation; Motorcoach Design and Construction; Motor-Truck Design and Construction; Production; Racing; Riding Qualities; Springs, Suspension; Steering Systems; Tires and Rims; Transmissions; Universal Joints; and Wheels)		Design improvements	Je 31
<b>Automobile Operation and Performance</b>		Design requirements	My 14
Carbon monoxide, driver affected by	356	Flying boat use	Fe 61; 98; My 13, My 17
Driver		Future predicted	My 15, My 16, My 17
Carbon monoxide effect on	356	Passenger transport	66, Fe 33; My 13, My 15, My 16
Fatigue effects	355, 356	Problems, technical and non-technical	My 13
Speed effects	De 26	Progress	Fe 32; My 13, My 17; Je 31; Oc 17
Vision, limitations on	352, 353, 354	Routes	My 14, My 15
		Speed	My 16, My 17
		Transoceanic	My 13, My 14, My 15; Ag 30

	PAGE		PAGE
<b>Aviation (Concluded)</b>		<b>Batteries (Concluded)</b>	
Flights		Size, engine displacement relation to	136, 138
Factors affecting	Ag 30	Starting requirements	136, 137, 139
Transoceanic	Ag 30	Progress	Ap 37, Ap 38; 362; 497, 498
Flying boats	My 13, My 17	Size	360, 362
Foreign	Ap 16; My 50	Temperature effects, low	325
Future predicted	Ap 20, Ap 33		
Guggenheim, Daniel, medal	Jl 28	<b>Bearings</b>	
Hangar design	Ap 20; My 50	Axle, rear	512
Manly Memorial Medal	Ap 16, Ap 17; My 30	Ball and roller	
Progress	Je 32; No 14	Design fundamentals	Ap 32
Radio	98; 527	Failure causes	Ap 32
Safety factor	Je 32	Life	Ap 32
Traffic control	My 33	Load-carrying ability	Ap 32
Transcontinental		Lubricant, amount required	Ap 32
Fare decrease	Oc 18	Raceways, flat vs. grooved	Ap 32
Passengers carried	Oc 18	Standardization	Jl 22
Speed increase	Oc 18	Engine	
Transoceanic		Aircraft	161, 163, 164; 231
Airship	Fe 33, Fe 64, 190, 191, 192, 193	Diesel, failure prevention	411, 412
Flying boat	Fe 33, Fe 53, Fe 61; 98	Shell	
Island bases	98	Failure relation to	411
Passenger transport	Fe 33	Thickness	411
Value of	My 16	Lubrication	
Wright Brothers Medal	Oc 16, Oc 19; No 14	Film resistance	
(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aircraft Operation and Performance; Engines, Aircraft; and Instruments, Aircraft)		Film rupture	538
		Film thickness effects	536, 537, 543
		Viscosity effects	536, 537
		Pressure, provision for	412
<b>Axles</b>		Metal	
HYPPOID GEARS, AXLES AND LUBRICANTS	Je 42; Se 38; 509	Babbitt	411
HYPPOID REAR-AXLE DESIGN AND LUBRICATION	Jn 30; Fe 32, Fe 50; 194; Jl 26	Bronze	161, 163, 164; 412
Front		Cadmium	412
Motor-truck	133, 135	Cadmium-silver	495
Progress	500	Copper-lead	161; 495
Motion, types of	Jl 25	Lead, "Satco"	412
Motor-truck		Lubricant effects	Jl 22
Cab-over-engine effects	577	Standardization	Jl 22
Front	133, 135	White	411
Rear	133, 134, 136	Progress	495
Progress	133, 135; 499	Wheel, lubrication of	Fe 56
Rear		<b>Bodies</b>	
Deflection testing	511	THE AIRCRAFT TREND IN BODY DESIGN FROM THE AIR-CRAFT VIEWPOINT	Fe 31, Fe 44; 291
Future predicted	Jn 30	THE AIRCRAFT TREND IN BODY STRUCTURAL DESIGN	Fe 30, Fe 43, 65; 224
Load carrying ability, lubricant effects	200	THE BODY DESIGNER'S FUTURE	595, De 24
Lubrication		THE CHASSISLESS OR UNIT-CAR QUESTION	Fe 30, Fe 44; 120
Channeling	204	FUNCTION IN MODERN STYLING	Je 14; Se 42; 507
Extreme-pressure lubricants	Fe 32; 201, 202, 203, 204; Je 48; Se 40; 513	Aircraft influence	65, 66, Fe 31, Fe 44
Foaming	204, 205	Aircraft trend in	291, 292
Future predicted	Mr 31	All-steel	
Load carrying ability affected by	200; 513	Advantages	65, 66
Load-carrying capacity	Je 48	Composite type compared with	66
Lubricant requirements	Mr 31; 200, 201, 204; Se 40; 513	Appearance	
Lubricant stability	201, 204	Color	508
Viscosity	204, 205	Factors affecting	507, 508
Wear affected by	202, 203, 204	Psychological factor	Je 14
Motor-truck	133, 134, 136	Sales value	Je 14; 507
Progress	Se 38; 499	Streamlining	291
Reduction gears, hypoid	195, 196; Je 42, Je 48; Se 38; 499, 509, 510, 511, 512	Art applied to	507, 508
Testing, deflection	511	Art defined	507
Wear		Belt molding	505
Lubricant type effects	202, 203, 204	Chassis unit construction with	66, Fe 31, Fe 44; 164; 596, De 24
		Cost, weight relation to	Jn 34; 292
		Design principles	508
		Design procedure	508
		Design trends	Je 14; 595, 596
		Designer	
		Chassis designer cooperation needed	596
		Duties and responsibilities	595
		Future	596
		History	595
		Dimensions, changes in	
		Comfort increased by	Jn 13
		Floor lowered	Jn 13
		Future predicted	Jn 15
		Propeller shafts affected by	Jn 13
		Rear axles affected by	Jn 13
		Roominess increased by	Jn 13; 504, 505
		Doors, progress	505
<b>Batteries</b>			
Capacity rating	362		
Charge characteristics of	360, 361		
Cranking ability	363		
Cold-weather performance	362, 363		
Discharge characteristics	362		
Generator efficiency relation to	360, 361		
Hot-weather performance	362		
Location	No 13, 497		
Motor-truck			
Capacity rating	136, 138		
Improvements made	136		
Improvements needed	139		

# Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

	PAGE		PAGE
<b>Bodies (Concluded)</b>		<b>Brakes (Concluded)</b>	
Drag reduction	292	Makes, Westinghouse	Fe 60
Engine mounting, rear	596	Material requirements	De 16
Eye appeal, sales value relation to	De 25	Motorcoach	De 16
Heat insulation		Motor-truck	Fe 28, Fe 45, Fe 46; 133, 135; De 16
Materials used	505	Parking	500
Progress	505	Progress	352; 500
History	595	Road and rail vehicles compared	Fe 60
Hoods, trends	504	Trailer, tourist, effects	223
Improvements needed	Fe 31	Vacuum, tourist trailer use of	500
Improvements suggested	292	Bureau International de Normalisation de l'Automobile	Jn 20; Fe 58
Instrument panels	503	Bureau of Aeronautics	Ap 19; Je 19
Insurance rates affected by	164	Bureau of Air Commerce	My 32; No 36
Interior design		Bureau of Motor Carriers	Jn 33; Je 30
Color	508	Bureau of Mines	Fe 40
Factors affecting	Je 14; 508; 595, De 24	Bureau of Public Roads	Fe 17
Pattern	508	Bureau of Standards	Fe 40; Ap 16, Ap 18; My 32; Je 18, 263; 378; 520, 542, 543
Texture	508		
Luggage-compartment space	506	<b>Bus</b>	
Motorcoach, chassis unit construction with	Fe 30, Fe 43	(See Motorcoach)	
Motor-truck			
Aluminum	274, 276		
Dimensions	274, 276		
Production	275		
Steel, Galvannealed	274, 275, 276		
Types described	274, 276, 278, 279		
Weight	274, 276, 279		
Wood	279		
Noise reduction			
Materials used	505		
Progress	505		
Plastics used in	505		
Progress	No 13, 504, 505, No 22, No 23		
Radiator grilles	496, 503, 504		
Roominess, factors affecting	Jn 13; 504, 505; De 24		
Running boards	505		
Safety features	Jn 14; 164; 504, 508		
Sales value, eye appeal relation to	De 25		
Seats			
Adjustable	Jn 14		
Position	De 24		
Progress	505		
Steel, usage extent	Jn 14		
Streamlining	66, Fe 44; 291		
Styling	Fe 34; Je 14		
Tops, steel			
Radio reception affected by	Jn 14		
Usage extent	Jn 14		
Trends	292; De 24		
Trim material	505, 506		
Upholstery			
Progress	505, 506; De 28		
Requirements, ideal	De 28		
Ventilation	No 13, 505		
Visibility, improvement in	504, 505		
Weight			
Analysis of car	Jn 34		
Increase in	De 24		
Reduction			
Cost related to	Jn 34; Fe 44; 292		
Frame	Fe 31, Fe 44; 292		
Means of obtaining	Jn 34, Jn 36; 292		
Progress	66; 291		
Windshields	504, 505		
<b>Brakes</b>			
Air			
Diesel trains	Fe 60		
Progress	Fe 60; Ag 38		
Braking effort distribution	351		
Control problems	351, 352		
Controls, hand	500		
Drums			
Cooling	500		
Progress	500		
Durability	352		
Hydraulic			
Location	500		
Progress	500		
Usage extent	Jn 14		
Improvements needed	De 16		
Lining			
Fading, elimination of	500		
Progress	500		
Lubrication	De 16		
		<b>Camshafts</b>	
		Cast iron	283, 287, 288, 289
		Fuel injection rate affected by	Ag 29
		Hardening	371
		Production	
		Cast iron	288, 289
		Hardening	371
		Methods described	287, 288, 289
		Progress	283, 287, 288, 289
		<b>Carbureters and Carburetion</b>	
		Aircraft	
		Air-fuel mixture ratio	
		Control, automatic	Jl 27
		Fuel consumption affected by	Ap 20, Ap 25
		Air temperature	
		Heating method	477
		Ice formation affected by	482
		Design described	Jl 27
		Ice formation, carbureter design effects	Jl 27
		Progress	496
		Updraft, aircraft usage	477
		<b>Clutches</b>	
		Automatic	
		Centrifugal	211, 212; 306
		Design described	306
		Merits	310
		Vacuum	212
		Control means	305
		Design details	498
		Diaphragm spring type	No 13, 498
		Failure causes	No 20
		Makes, Long	498
		Motorcoach	Fe 29, Fe 47; Mr 27
		Motor-truck	
		Area	134
		Cost factor	133
		Overrunning or roller	211, 213
		Pedal pressure reduction	498
		Progress	498
		Roller or overrunning	211, 213
		Size	498
		Springs, number of	498
		Types analyzed	305
		<b>Collisions</b>	
		(See Accidents and Accident Prevention)	
		<b>Commercial Cars</b>	
		(See Fleet Operation, Motorcoach and Motor-Truck)	
		<b>Connecting Rods</b>	
		Aircraft engine	465
		Design requirements	231
		Progress	495
		<b>Cooperative Fuel Research</b>	
		Aviation Fuels Committee	420
		Compression Ignition Volunteer Group	232, 233, 237; Je 40; 393
		Motor Fuels Committee	Ag 26
		Motor method, revised wording recommended	Mr 18

	PAGE		PAGE
<b>Cooperative Fuel Research (Concluded)</b>		<b>Cylinders (Concluded)</b>	
Detonation testing		Aircraft	
Aviation gasoline	Fe 40	Number of cylinders, weight relation to	Je 18
Correlation, road and laboratory	Mr 18	Size trends	441, 444, 461, 465, 466
Engine, C.F.R.		Wear, ring sticking	Fe 19
Diesel fuels tested in	Fe 30, Fe 51; 233	Corrosion	
Full-size engine compared with	Fe 51	Causes of	95
Re-instrumentation desired	240, 241	Lubricant effects	96
Iso-octane specifications	Ag 26	Remedies suggested	96
Knock rating	Fe 40	Wear caused by	95, 96
Laboratory tests	Fe 28, Fe 29, Fe 49, Fe 50; Mr 18	Diesel engine	410
Octane number, altitude effect on	Fe 28, Fe 49	Erosion	
Reports compiled	Ag 26	Conditions causing	93
Road tests	Mr 18	Distortion effects	93
Early tests, conclusion from	No 27	Lubricant effects	93, 94, 95
Inception of	No 15	Piston ring effects	93, 94, 95
Motor fuels committee	Je 39	Remedies suggested	
Motor gasoline survey	Fe 40; Je 39; Ag 26	Anodizing	95
Motor Method	249	Design improvements	93
Motor survey	Je 39	Starting effects	93, 95
Octane requirements	Fe 40	Wall temperature effects	93
Subcommittee name changed	Ag 26	Wear caused by	92, 93, 94, 95, 96
Vapor lock research	Fe 40	Finish, wear affected by	Mr 23; 96, 98
<b>Corrosion and Corrosion Prevention</b>		Heads	
Aluminum, anodic treatment	162	Aircraft	159
Chromium vs. cadmium plating	162	Material effects	159
Cooling system problems	Fe 29; 112	Temperature measurement	151, 152, 172
Cylinders		Liners, wear reduction	171
Corrosion causes	95	Pressure	
Lubricant effects	96	Compression ratio effects	227
Remedies suggested	96	Explosion pressures	
Wear caused by	95, 96	Calculated	227, 228
Die casting	293, 294	Measured	227, 228
Engine, aircraft, problems	162	Supercharging effects	227
Magnesium, treatment of	162, 163	Progress	494
<b>Crankcases</b>		Valve seats, flexible	My 46
Diesel	409	Wear	
Sludge control	Je 36	OBSERVATIONS ON CYLINDER-BORE WEAR.	Fe 18, Fe 31; 89
Ventilation		Abrasion effects	89, 90, 91, 92, 96
Effects	Je 36	Bore finish effects	96, 98
Importance of	Je 36	Causes analyzed	Fe 18; 89, 96, 97; 410
Progress	Ag 29	Cooling factor	93
Sludge affected by	Je 36; Ag 29	Corrosion effects	95, 96
Two types described	Je 36	Data needed	Fe 18
<b>Crankshafts</b>		Data on	Fe 18; 89
Aircraft engine	231; 465, 466	Diesel	Fe 18
Balance	413	Erosion effects	92, 93, 94, 95, 96
Built-up	466	Finish effects	Mr 23
Cast iron	283, 289, 290	Fleet experience described	97
Design requirements	412, 413	Gas pressure effects	Fe 19
Diesel	Ap 36; 412, 413	Load factor	93
Hardening, Tocco process	370, 371	Lubricant effects	Fe 18; Je 24; Ag 29
Production		Oil temperature effects	325
Casting		Oil type influence on	171
Forging compared with	289	Piston ring effects	Fe 18; 171
Methods described	289, 290	Research needed	96
Hardening		Scoring	92
Problems of	Fe 58	Scuffing	92, 93, 95, 96, 97, 98
Tocco process	Fe 58; My 34; 370, 371	Speed factor	93
Progress	283, 289, 290; 495	Temperature effects	Fe 18, Fe 31; Je 24
Testing, vibration	Je 26	Tests	96, 98
Ventilation	495	Time of occurrence	96, 97
Vibration		Wall temperature relation to	411
Aircraft engine			
Amplification factor	256		
Dampers	256		
Other engine types compared with	256		
Dampers			
Factors affecting	Ap 36; 413		
Progress	495		
Syncro-flex flywheel	493, 495		
Testing	Je 26		
<b>Cylinders</b>			
Abrasion			
Remedies suggested			
Air cleaners, oil bath type	92, 97		
Design improvements	92		
Oil filters	97		
Sources of abrasives	89, 90, 91		
Wear caused by	89, 90, 91, 92, 96		

## D

## Detonation

RELATIVE KNOCKING CHARACTERISTICS OF MOTOR FUELS IN SERVICE	
	Fe 28, Fe 49; 144
THE INFLUENCE OF HUMIDITY ON KNOCK RATINGS	Fe 29, Fe 50; 243
"Appreciation"	144, 147, 148
Atmospheric effects	
Humidity	
Control	248, 249
Measurement	244, 245, 249
Range, United States	243
Standard	249
Testing	245, 246, 249
"Depreciation"	144, 145, 146, 148

### Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

	PAGE		PAGE
<b>Detonation (Concluded)</b>		<b>Engine Design and Construction (Concluded)</b>	
Engine factors		Design effects	Mr 28
Air-fuel mixture ratio	146; 246	Factors involved	Ag 44
Combustion pressure	150	Fans	
Compression ratio	Fe 20; 146; 246	Belt testing	Jl 22
Cylinder head material	Fe 20	Trends	496
Diesel engine	Fe 30, Fe 51; 233	Fundamentals of	111
Ignition lag	Fe 30	Future predicted	De 25
Ignition timing	145, 148, 149; 521	Improvements desired	112, 117
Speed	145, 146	Progress	496, No 26; De 24
Fuel factors		Pumps	
Aviation fuel	225	Design requirements	113
Benzol	147	Function of	112
Cracking	145, 146	Progress	496
Ethyl ether	147	Radiators	
Fuels compared	246, 247, 248	Cores	496
Importance of	243, 249	Grilles	Mr 28; 496, 503, 504
Iso-octane	225	Location	De 25
Isopropyl ether	225	Progress	496; De 25
Octane numbers	145, 146, 147; 525	Cylinder types	
Octane number determination	Fe 28	Comparison of	Fe 20
Octane number rating	Mr 23	Radial	Jn 15
Sensitivity	145; 247; 525	V-engines	Jn 15
Volatility	146, 147, 148	X-type	Jn 15
Humidity effect	Fe 29, Fe 50	Exhaust system	
Suppressers		Location	497
Benzol	147, 149	Mufflers	497
Tetraethyl lead	147, 148, 149; 225, 228	Progress	497
Tetramethyl lead	147, 148	Flywheel, synchro-flex	493, 495
Testing		Fuel-supply system	
A SPARK-ADVANCE INDICATOR AND KNOCK-RATING OBSERVATIONS	Je 26; Se 38; 521	Progress	496
Air conditioner described	249, 250, 251	Pumps	
Aviation gasoline, Cooperative Fuel-Research method	Fe 40	Port bypass type	Ag 29
Bouncing pin	246, 247, 248	Progress	496
Bouncing pin indicator, springless	Je 26	Future predicted	Jn 15, Jn 16; Fe 20
Cooperative Fuel-Research method		Lubrication	
Aviation gasoline	Fe 40	Oil filter location	496
Laboratory	Fe 28, Fe 29, Fe 49, Fe 50; Mr 18	Progress	496
Octane number, altitude effect on	Fe 28, Fe 49	Makes	
Road	Mr 18	Buick	493, 494, 495, 496, 497
Data analyzed	246, 247, 248, 249	Cadillac	493, 494, 495, 496, 497
Diesel engine	Fe 30, Fe 51; 233	Chevrolet	495, 496, 497; 506
Dry-air pressure	247	Chrysler	494, 496
Engine adjustment	247	Continental	494
Fuel bracketing	243, 246, 248	DeSoto	494
Fuel matching	248	Ford	496
Fuel type effects	243, 246	Graham	494, 495, 496, 497
History of	243	Hudson	495, 496, 497
Humidity effect	Fe 29, Fe 50; 243, 251	La Salle	494, 496
Indicator, Micromax	249	Lincoln	494, 496, 497
Indicator, spark-advance	Se 38; 521, 522, 523, 524, 525, 526	Nash	494
Indicator, springless bouncing pin	Je 26	Packard	494, 496, 497
Knock indicator, Sunbury	Je 26; 436, Se 30	Plymouth	496
Knock intensity	246; 525	Oldsmobile	494, 495, 496, 497
Knock-rating factor	Fe 49	Pontiac	496, 497
Laboratory, Cooperative Fuel Research		Studebaker	494, 496, 497
Knock intensity effects	Fe 29, Fe 50	Waukesha	My 32
Octane number determination	Fe 28	Willys	495, 496
Road test correlation with	Mr 18	Mounting	
Octane number	246, 247, 249; 525	Forward	Fe 20
Progress	No 23	Progress	494
Reference fuels	Fe 49; 144, 148, 149, 150; 243, 248, 249	Rear	Jn 14, Jn 15; Fe 20
Reproducibility, importance of	249	Progress	493, 494
Results described	Fe 28, Fe 49	Size trends	493, 494
Sunbury indicator used	Je 26; 436, Se 30	Starters	363, 364; 497
Road, Cooperative Fuel-Research	Mr 18; 147, 148	Weight trends	493
		(See also Air Cleaners; Bearings; Camshafts; Carburetors and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motor-coach; Engines, Motor-Truck; Engines, Railcar; Engines, Tractor; Foreign Design and Operation; Fuels; Gasoline, Aviation; Generators; Ignition; Pistons; and Valves and Valve-gear)	
<b>Economics</b>		<b>Engineering Foundation, Iron Alloys Committee</b>	Jl 28
Car ownership, income relation to	De 26	<b>Engine Operation and Performance</b>	
Foreign trade		CRANKCASE-OIL TEMPERATURE CONTROL	Je 24; 325; Se 30; 520
American need for	De 15	Altitude effects	Se 30; 517
Western Hemisphere, opportunities in	De 15	Blowby	
Income, car ownership relation to	De 26	Piston ring effects	Fe 19
Latin-America, buying power of	De 15	Ring sticking caused by	Ag 29
Living standards		Cold weather operation	
Automobile contribution to	Jn 16	Oil viscosity requirements	325
Engineering influence on	Fe 15, Fe 16; Mr 14	Starting	336, 337
Improvements	Mr 14	Combustion	
Merchant marine, need for	De 15	VARIABLES AFFECTING FLAME SPEED IN THE OTTO-CYCLE ENGINE	Je 18; Se 30; 514
<b>Engine Design and Construction</b>			
Compression ratio			
Fuel type effects	494		
Power affected by	494		
Trends	No 13, 493, 494		
Cooling			
Antifreeze tests recommended	De 24		

	PAGE		PAGE
<b>Engine Operation and Performance (Continued)</b>		<b>Engine Operation and Performance (Concluded)</b>	
Flame movement		Oil properties	
Air-fuel mixture ratio effects	518	Oiliness	Fe 32
Altitude effects	Se 30; 517	Requirements	Ag 29
Combustion chamber design effects	520	Stability	Fe 31
Detonation affected by	514	Viscosity	
Engine speed effects	518	Starting requirements	325
Factors affecting	Je 18; Se 30; 515, 519, 520	Temperature relation to	325, 326, 327, 329, 333, 334
Heat transfer	520	Viscous flow formula	326
Humidity effects	Se 30; 518	Wear affected by	325
Ignition effects	519	Oil replenishment vs. drainage	Jl 32; 526
Inlet temperature effects	Se 30; 518, 519, 520	Oil selection	333, 334
Piston movement	520	Piston ring sticking effects	Fe 19
Pressure	514, 517, 519, 520	Sludge formation, methods of eliminating	Ag 29
Residual gas effects	517, 519, 520	Temperature control	
Supercharging effects	Se 30; 517	Factors involved	326
Testing	Se 30; 514	Need for	325, 326, 333, 334, 342
Time required for	518, 519, 520	Purpose	325
Turbulence effects	518, 519	Temperature range effects	326, 329, 333
Velocity variation	520	Oil engine, Hesselman, compared with	10
Pressure, flame movement relation to	514	Power	
Temperature		Ignition timing effects	521
Cylinder heads	Fe 28, Fe 48	Trends	493, 494
Measurement through spark plug	Fe 28, Fe 48	Speed, car speed relation to	526
Testing		Speed-load relationship testing	Je 26; Se 38
Apparatus described	515	Starting	
Photographic methods used	Fe 55; Je 18; Se 30; 514, 515, 516	Device to facilitate	336, 337
Cooling		Diesel engine comparison	Ap 38, Ap 39
ENGINE-TEMPERATURE CONTROL FACTORS	Fe 29, Fe 46; 111	Low temperature effects	325
Coolant types	112, 113	Oil dilution effects	337
Corrosion effects	Fe 29; 112	Oil viscosity requirements	325
Fans		Warm-up period	326
Belt life	116	Temperature	
Blade breakage	113	Combustion	518, 519, 520
Design improvements	Fe 46	Control	
Efficiency of	116	Advantages	342
Noise reduction	115	Means used to obtain	336, 337, 338, 339, 340, 341, 342
Tip speed	116, 117	Need for	325, 342
Hot-spot effects	112	Gages recommended	342
Improvements desired	112	Wear affected by	325
Leakage importance	112, 113, 115	Testing	
Power affected by	116	Combustion, photographic methods used	Se 30; 514, 515, 516
Problems, practical	Fe 29	Instruments	521
Progress	De 24	Load-speed relationship	Je 26; Se 38
Pumps, design improvements	Fe 46	Speed-load relationship	Je 26; Se 38
Radiators		Trailer, tourist, effects	223, 224
Heat transfer principles	111	Vibration testing	Je 26
Jacket water temperature	117	Wear	
Temperature control		Friction effects	Je 26, Je 27, Je 39
Need for	117	Lubricant effects	Je 26, Je 27; Ag 29
Operation	117	Temperature effects	325
Types	117	(See also Air Cleaners; Camshafts; Carbureters and Carburetion; Con-	
Water flow through	Fe 29	necting-rods; Crankcases; Crankshafts; Cylinders; Detona-	
Seal design	113, 115	tion; Engine Design and Construction; Engines, Aircraft;	
Shrouds, merits of	116	Engines, Diesel; Engines, Marine; Engines, Motorcoach;	
Trailer, tourist, effects	223, 224	Engines, Motor-Truck; Engines, Railcar; Foreign Design	
Water circulation rate	112	and Operation; Fuels; Gasoline, Aviation; Generators; Ig-	
Diesel engine compared with	10, 27; Ap 38, Ap 39; 405, 409, 414	tion; Oil Filters; Pistons; Supercharging; and Valves and	
Electrical system, trailer effects	224	Valve Gear)	
Friction, measurement of	Fe 33; Fe 66	<b>Engineers and Engineering</b>	
Fuel consumption		ENGINEER IS CARETAKER OF FUTURE OF CIVILIZATION	
Air-fuel mixture ratio effects	Fe 20	Fe 15; Mr 13; No 16	
Ignition effects	Fe 20	Civilization influenced by	Mr 13, Mr 14; No 16
Trailer, tourist, effects	224	Definition	Ag 30
Fuel feeding, pumps, port bypass type	Ag 29	Education	Ag 30
Future predicted	Fe 20	Inventions, early	Mr 13, Mr 14
Load-speed relationship testing	Je 26; Se 38	Opportunities	Fe 15, Fe 16; Mr 15; My 29, My 33; Je 34
Lubricants and lubrication		Responsibility, social	Fe 29, Fe 48
Addition agent effects	Ag 29	Safety responsibilities analyzed	Fe 16
Air cleaner effects	Ag 29	Sales	
Oil consumption		Advantages to buyer	Fe 60, Fe 61
Factors affecting	Mr 30, Mr 31	Definition of	Fe 60
Piston ring effects	Mr 30	Qualifications	Fe 61
Oil coolers	337	Scope	Fe 60
Oil drainage period		Types of	Fe 61
Oil filter effects	Mr 23	Vocational aspects of	Jn 32
Recommendations	Mr 23	<b>Engines, Aircraft</b>	
Oil filters	Mr 23; 341	AIRCRAFT-ENGINE MATERIALS	Fe 33, Fe 64; 153
Oil oxidation, temperature relation to	325	AIRCRAFT POWERPLANT TRENDS	Je 16; Se 29; 455
		DESIGN OF COWLINGS FOR AIR-COOLED AIRCRAFT ENGINES	No 14; 581
		EUROPEAN AVIATION ENGINES	Ap 16; My 50; Jl 13

**Abbreviations Used:**

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

## Engines, Aircraft (Continued)

	PAGE
FEATURES OF THE IN-LINE AIR-COOLED AIRCRAFT ENGINE	
Je 17; Se 30; 473	
HIGH OUTPUT IN AIRCRAFT ENGINES	Fe 33, Fe 36; 225
LUBRICATION AND COOLING PROBLEMS OF AIRCRAFT ENGINES	Ap 26; My 48; 315
THE DESIGN OF METAL FINS FOR AIR-COOLED ENGINES	Ap 20; My 46; 388
THE DETERMINATION OF RATINGS FOR TRANSPORT AIRCRAFT ENGINES	Ap 26; My 48; 400
THE PROBLEM OF RING-STICKING IN AVIATION ENGINES	Fe 19, Fe 31; 545
TREND OF AIR-COOLED AERO ENGINES—THE NEXT FIVE YEARS	Je 15; Se 29; 437
Aircraft design effects	438, 439, 467
Altitude effects	
Flame speed	Je 18
Supercharging	Je 18
Altitude performance	
Air-fuel mixture ratio	270
Diesel engine	263, 270, 271
Testing	263, 270, 271
Aluminum used in	157, 158, 161, 162, 163
Balance, importance of	466
Brake mean effective pressure	
Altitude effects	267
Supercharging effects	267
Trends	Fe 54; Je 18
Bronze used in	161, 162
Combustion	
Flame speed	
Altitude effects	Je 18
Factors affecting	Je 18
Humidity effects	Je 18
Photographic studies	Je 18
Pressure effects	Je 18
Supercharging effects	Je 18
Temperature effects	Je 18
Turbulence effects	Je 18
Ignition effects	228, 262
Pressure	227, 228, 229
Compression ratio	
Fuel consumption affected by	460
Power affected by	460
Sleeve valve effects	460
Trends	460
Cooling	
Air	
Air flow	Je 16; 389; 582, 590
Air velocity effects	591
Altitude effects	582
Baffles	Jl 27; 457, 473, 475, 476; 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 594, 595
Cowling effects	475; 581, 583
Design requirements	441
Drag affected by	Je 16; 457; 581, 594
Factors affecting	Je 17, Je 18; 473
Fins	Ap 20, Ap 25; My 46; 388, 392; 474, 476; 586, 590, 594
Ground cooling	588
Heat conduction equation	389
Heat transfer coefficients	389
Increased used of	441
Liquid cooling compared with	457, 458, 463, 482
Pressure drop effects	591
Progress	Ag 44; 457
Propeller effects	588
Speed effects	584, 585, 586
Testing	389
Usage extent	457
Weight factor	457
Altitude effects	322
Conductivity	582, 583, 584, 586, 588, 590
Factors affecting	My 48
Liquid	
Air cooling compared with	457, 458, 463, 482
Altitude effects, air and liquid cooling compared	322
Design calculation, example of	322, 323
Design requirements	319, 320, 321, 322, 323
Drag affected by	319, 321, 322, 324; 462, 463
Heat dissipation	321
Leakage elimination	319
Merits	318; 594
Plumbing	319
Radiator	
Core characteristics	320, 321
Location	320

## Engines, Aircraft (Continued)

	PAGE
Mounting	324
Size	320
Shutter design	323, 324
Testing radiator drag	324
Velocity pressure head	322, 323, 324
Oil temperature control	Ap 26
Power	
Air-cooled radial	Jl 27
Liquid-cooled	Jl 27
Progress	457
Cost	
Cylinder size relation to	Je 16
Trends	Ag 44; 441
Cowling	
Air-flow control	582, 583, 586
Air velocity effects	591
Conductivity	582, 583, 584, 586, 588, 590
Cooling affected by	388; 475; 581, 583
Drag affected by	319; 475; 581, 583, 585
Exit opening	583, 584, 585, 586, 587, 594
Flaps	583, 585
National Advisory Committee for Aeronautics research	
type	No 14, No 24; 581, 582, 583
Nose shape	582, 583, 585, 591
Nose-slot type	589
Nacelle size relation to	583, 584, 586, 587, 591, 593
Pressure distribution	589
Pressure drop	583, 590, 595
Problem analyzed	581, 582
Propeller effects	587, 588, 589
Pumping efficiency	583, 584, 586
Testing	583, 587, 591
Cylinder types	
Cylinder size	441, 444, 461, 465, 467
Flat	Se 29; 441, 454
In-line	
Advantages	Se 30
Air-jacketing	475, 476
Arrangements, varied	473, 480
Cooling problems	Je 18; 473, 474
Design requirements	473
Disadvantages	443, 444
Drag	466
Installation	
Description of	477
Weight analysis	477
Lubrication	Je 8; Se 30; 482
Number of cylinders, weight relation to	Je 18
Radial compared with	Se 30; 478, 479, 480, 492
Speed, lubrication relation to	Je 18
Trend	441
Weight	478, 482
In-line vs. radial	
Cooling problems	592, 593, 594
Cowling problems	592, 593, 594
Drag	592, 593
Cylinder types	
Number of cylinders	
Decreased, effects of	444
Displacement affected by	466
Frontal area affected by	466
Fuel consumption affected by	444
Increased, effects of	Se 29; 479
Power relation to	478
Trends	457, 473
Weight increased by	443
Radial	
Advantages	444, 454
Air-jacketing	482
Domestic and European compared	Jl 27
Drag	466
European and domestic compared	Jl 27
In-line compared with	478, 479, 480, 482
Performance	457
Progress	Ag 44
Single-row	178; Se 29
Trends	441
Two-row	Mr 22; 178; Se 29
Size trends	457
Types compared	441, 443, 444, 466
Types predicted	467
Design, military influence	Jl 27
Design requirements	Se 29
Diesel	
Altitude conditions	
Apparatus used to simulate	Fe 30; 264

	PAGE		PAGE
<b>Engines, Aircraft (Continued)</b>		<b>Engines, Aircraft (Continued)</b>	
Pressure, inlet air	Fe 30; 263, 265, 268, 269, 271	Design described	315, 316, 317, 318
Temperature, inlet air	Fe 30; 263, 265, 269, 270, 271	Jacketing, need for	315
Altitude performance		Oil dilution	Ap 26; 316, 317, 318
Supercharging	266, 267, 271	Oil properties	
Testing	Fe 30; 263, 270, 271	Stability	483
Direct injection, aircraft performance affected by	460	Testing	483
Displacer-piston	Fe 30; 263	Viscosity	315, 316
Field for	Je 31	Oil temperature	Ap 26, 315; Jl 27
Foreign developments, French	My 50	Oils for high-output engines	
Fuel consumption		SELECTIONS OF OILS FOR HIGH-OUTPUT AIRCRAFT EN-	
Cost	439, 440	GINES	48
Gasoline engine compared with	439, 440	Selection problems and methods	48, 49, 50, 51, 52, 53
Future predicted	Je 16; 439	Test results, rating of	52, 53, 54, 55
Gasoline engine compared with	Jn 26; Fe 30; Je 16, Je 17, 271; Jl 17, Jl 27; 439, 440	Tests, full-scale engine	50, 51
German usage	Je 31	Post-starting period	
Merits	439	Oil dilution effects	317, 318
<b>Drag</b>		Viscosity effects	317
Components analyzed	585, 586, 594	Warming up	315, 317, 318
Cooling effects	Je 16; 445, 463, 467; 581, 594	Problems from operating standpoint	315
Cowling effects	581, 583, 585	Progress	My 48
Cylinder type effects, in-line vs. radial	448, 450, 462	Ring sticking	Fe 19; 545, 546
Engine-in-wing effects	453, 462	Sludge formation	Jl 27
Engine location effects	593, 595	Speed relation to	Je 18
Interference effects	448	Starting, cold weather	316
Interference, wing-nacelle	591, 593	Tests	317; 483
Nacelle effects	447	Magnesium used in	157, 158, 159, 160, 161
Research	448	Maintenance	
Weight relation to	448, 449, 450, 464	Overhaul periods	Jl 27; No 36
Efficiency, criteria of	443	Problems involved	No 36
Efficiency, mechanical	227	Progress	No 24
Efficiency, thermal	225	<b>Makes</b>	
Efficiency, volumetric supercharging effects	225, 226	Aeronca	Fe 60
Engine layouts		Alfa-Romeo	Jl 15
Aerodynamic aspect	444	Argus	Jl 14
Geometric aspect	441	Armstrong-Siddeley	Jl 16
Exhaust-valve seats, flexible	My 46	Bristol	268; Jl 15; 445
Fin design		Cyclone	400
Dimensions		Daimler-Benz	Jl 14; Se 17
Factors affecting	388, 389	Fiat	Jl 15; 467
Importance of	392	Gnome-Rhone	Jl 16
Pressure drop	388, 389, 392	Halford	Jl 16
Weight Factor	388, 389, 391, 392	Heinkel	Ap 17
Material		Hispano	Jl 16
Aluminum	389, 390, 391, 392	Isotta-Fraschini	Jl 15
Material		Junkers	Ap 17; Je 42; Jl 13, Jl 14
Steel	389, 390, 391, 392	Kinner	Fe 60
Power requirements	388, 391, 392	Lambert	Fe 60
Trends	392	Lockheed	Jl 14
Foreign and domestic compared	My 50	Napier	Je 18; Jl 16; 467
Foreign developments, French	My 50	Popjoy	Fe 60
Fuel consumption		Pratt and Whitney	Fe 54; Mr 22; 178, 179, 180; My 42; Jl 13, Jl 15, Jl 27; Ag 44; 460, 487
Air-fuel mixture ratio control	33; My 46; 460	Ranger	Fe 60; 476, 477, 478
Air-fuel mixture ratio effects	Ap 20, Ap 25; My 46	Rolls-Royce	Jl 16, Jl 17
Combustion chamber design effects	460	Rover	Fe 60
Compression ratio effects	460	Siemens	Jl 13
Cost	439, 440	Warner	Fe 60
Decrease effected	Mr 22	Wright	Fe 54; Jl 14; Ag 44
Decrease predicted	439	<b>Materials used in</b>	
Factors affecting	444, 460	Chemical composition	154
Fuel octane number	Se 29; 439	Corrosion	
Payload relation to	My 46	Causes	162
Power relation to	My 46; 460	Effects	156, 157
Sleeve valve effects	460	Prevention	162, 163
Trends	Ag 44	Factors governing selection	153
Fuel research, importance of	Je 31	Failure causes	154, 155, 163
Future predicted	Fe 60; My 50; Je 15, Je 16; Se 29; 437, 453, 454, 461, 467	Magnaflux testing	Fe 66
History	437	Physical properties	153, 154
Improvements needed	Jl 27; 456	Selection of	Fe 33, Fe 64
Installation		Temperature effects	156, 157, 161, 163
Problems	Jl 27; No 36	Weight effects	157
Requirements	No 24	Mean effective pressure increased	262
Location, in wing or on wing	593, 595	Military and commercial requirements compared	441
Lubrication		Mounting, location	
Factors affecting	482	Drag affected by	453, 462
Hopper-type tank used	317, 318	Future predicted	438
Oil cooler		Multishaft	467
Bypass valve merits	315	Nacelles	
		Drag affected by	591, 593
		Size of	583, 584, 586, 587, 591, 593

# Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

	PAGE		PAGE
<b>Engines, Aircraft (Continued)</b>		<b>Engines, Aircraft (Concluded)</b>	
Navy types	Ag 38	Small types	Fe 60
Number per airplane		Trends	Ag 44; 438, 439, 461, 467
Future predicted	438, 453, 461, 462	Sleeve-valve	
Two vs. four	Oc 14	Compression ratio affected by	460
Power		Fuel consumption affected by	460
Air temperature effects	226	Merits	461
Altitude effects	439	Specialized vs. general purpose	437, 445
Compression ratio effects	460	Speed	
Cooling requirements	585, 586, 595	Factors affecting	460
Cooling type effects		Lubrication relation to	Je 18
Air-cooled radial	Jl 27	Trends	Je 16; Ag 44; 460, 473
Liquid cooled	Jl 27	Standardization	
Crankshaft speed effects	229, 230, 262	Importance of	Je 16; 450, 451
Cylinder size effects	441	Suggestions regarding	452, 453
Design effects	229, 230, 231, 262	Starting	
Factors affecting	Fe 33, Fe 54; 226, 227, 228, 229, 262; 441	Cold weather	316
Fuel consumption relation to	460	Lubrication requirements	316
Fuel type effects	Fe 66; 225, 229	Oil dilution effects	Ap 26
Increase		Steel used in	153, 154, 155, 156, 157, 164
Factors affecting	Oc 14	Testing	
Results of	Oc 14	Altitude performance	263, 270, 271
Long-range aircraft requirements	Fe 33	Cowling	583, 587, 591
Measurement by torque meter	460	Durability	404, 427
Propeller effects	463, 464	Laboratory	401, 427
Rating		Torque indicator used	No 14
Factors involved	Ap 26	Vibration	Ap 19
Objective stated	Ap 26	Torque uniformity, importance of	466
Short-range aircraft requirements	Fe 33	Trends	Je 15, Je 16, Je 17; Se 29; 438, 439, 453, 456, 461, 467
Trends	225, 262; Ag 44; Se 29; Oc 14, 438, 439, 441, 461, 462, 467	Types described, present-day	456
Weight relation to	153; 441, 464, 478	Vibration	
Pressure measuring technique improved	262	AIRCRAFT-ENGINE INSTALLATION VIBRATION PROBLEMS	252
Production		Aircraft vibration affected by	253, 254, 255
Air-cooled radial		Amplifier, integrating	434
Double row	178	Balance effects	253, 254
Single row	178	Components of	429
Cost	Fe 54	Connecting-rod effects	262
Factors affecting	441	Damping effects	433
Finish, importance of	182	Damping, importance of	262
History	178	Flight test installation	428
Inspection		Flight-test results	429, 430
Importance of	181, 182, 189	Improvements needed	261, 262
Magnaflux	182	Installation effects	259, 262
Material handling		Mathematical analysis	255
Conveyors, disadvantages of	181	Mounting relation to	258, 259, 261, 262; Jl 27
Electric trucks vs. conveyors	181	Oscillograph	435
Methods of	181, 182	Pickup units	
Methods and operations described	182, 183, 184, 185, 186, 187, 188, 189	Calibration	436
Operations and methods described	182, 183, 184, 185, 186, 187, 188, 189	Description	431
Plant layout	179, 180, 181	Pickups, typical arrangements of	429
Problems involved	182	Quantitative data	
Progress	Fe 54; Mr 22; My 30; Je 16, Je 31, Je 32; Jl 27; Ag 44; Oc 14; No 24	Equipment used to obtain	428
Radio shielding		Need for	428
RADIO SHIELDING OF AIR TRANSPORTS	Je 18; Se 29; 527	Reduction means	401
Bonding	530	Research	428
Cost	Je 18	Strain gage	433
Importance of	527, 544	Strain measurement	431, 433
Radio design effects	544	Suppression of	261
Radio installation effects	544	Testing	Ap 19; 259, 260
Research	Je 19	Weight	
Research needed	544	Automobile engine compared with	182
Trends	527, 530, 544	In-line and radial compared	479, 482
Rating		Power relation to	153, 441, 478
Compression ratio effects	401, 402	Radial and in-line compared	479, 482
Detonation effects	403, 404	Trends	Fe 54; Je 16; Jl 27; Ag 44; 438, 439, 464
Factors affecting	401, 402, 403, 404	(See also Carbureters and Carburetion, Aircraft; Crankshafts, Aircraft; Cylinders, Aircraft; Detonation; Fuels, Aviation; Gasoline, Aviation; Ignition, Aircraft; Pistons, Aircraft; Supercharging, Aircraft; and Valves and Valve-Gear)	
Fuel consumption effects	403	<b>Engines, Diesel</b>	
Fuel type effects	401	A VISUAL STUDY IN A DISPLACER-PISTON COMPRESSION-IGNITION ENGINE	22
Importance of	427	COMPRESSION-IGNITION ENGINE PERFORMANCE AT ALTITUDE	Fe 30, Fe 51; 263
Method of determining	My 48	CORRECTING DIESEL PERFORMANCE TO STANDARD ATMOSPHERIC CONDITIONS	Fe 29, Fe 51; 312
Objective	My 48; 300	DESIGN DEVELOPMENTS IN EUROPEAN AUTOMOTIVE DIESEL ENGINES	Je 40; 405, Se 42
Test procedure	403	Atmospheric variation	
Types of	400, 401, 402	Otto-cycle engine compared with	312, 313, 314
Reduction gearing		Performance affected by	312
Design	226	Automotive	
Need for	My 46	Design requirements	10
Types of	My 46	Field for	405
Research needed	454; 593, 594, 595		
Size			
Aircraft speed effects	439		
Converted-automobile-engine types	Fe 60		
Four sizes suggested	439, 454		

	PAGE		PAGE
<b>Engines, Diesel (Continued)</b>		<b>Engines, Diesel (Continued)</b>	
Foreign	405, 414	Failure	
Fuel taxation effects	414	Causes	420
Fuel utilization in	No 27	Reduction means	420
Other fields compared with	405	Maintenance	Ag 29
Possibilities	No 15	Material effects	420
Taxation effects, fuel	414	Wear	Ag 29
Usage	Mr 24, Mr 31	Injection timing	
Bearings, failure of	411	Combustion ignition lag affected by	Je 40
Cold weather operation	Mr 24	Importance of	Je 40; 348
Combustion		Roughness affected by	348
After-burning	398, 399	Maintenance requirements	Ag 29
Air flow	22; Mr 24	Nozzles	
Combustion chamber design effects	23; Mr 24	Drilled-hole	Je 42
Combustion chamber types	Je 42; Ag 30	Multiple-hole	Je 37; 409
Factors affecting	Ap 36; 312	Open	Je 42
Flame duration	396, 397, 398	Pintle	Je 37, Je 42; 409
Flame formation	22	Single-hole	Je 37
Fuel spray formation	22; Mr 24; 393, 394, 395, 396	Pumps	
Ignition delay		Life of	Mr 24
Fuel feeding effects	Je 40; 393, 394; 408, 409	Port bypass type	Je 37; Ag 29
Problems involved	Je 40	Steam injection	Fe 20
Testing	346, 347, 348, 393, 398, 399	Wear affected by	Je 37; Ag 29
Incomplete, products of	165, 166; 399	Fuel injection system	
Noise, combustion chamber types compared	409	Functions of	Ap 24
Otto-cycle engine compared with	312	Testing machines	Ap 24, Ap 38
Stratification	27	Future predicted	414
Temperature effects	396, 398, 399	Gasoline engine compared with	10, 27; Fe 30, Fe 51; Mr 24; Ap 36, Ap 38, Ap 39; My 30; Je 30, 271, Je 40, Je 42; 312, 313, 314; Ag 42; 405, 409, 414; No 15
Testing		History	Ap 35
Apparatus		Indicated mean effective pressure	
Criticism	Je 40	Inlet pressure effects	313
Description	Je 40; 393	Inlet temperature effects	313
Methods	313	Injection timing	314
Photographic methods	22	Lubrication	
Turbulence	Je 42; 407, 408	Addition agent effects	Je 36; Ag 29
Combustion chamber design, odor affected by	Mr 24	Compound merits	170, 171, 172
Combustion chamber types		Compounded type	399
Fuel feeding relation	Je 37	Improvement needed	Je 36
Pre-combustion	Ag 38; 393	Oil properties, requirements	Ag 29
Combustion systems		Trends	Je 30
Air-cell	408	Maintenance	
Compression-swirl	406, 407, 408	Cost	
Direct-injection	406, 407	British operating experience	Je 40, Je 42
Indicator diagrams	409	Design effects	Ap 38
Open-chamber	406, 407, 414	Gasoline engine compared with	Je 40, Je 42; Ag 29, Ag 30; 414
Pre-combustion	407	Factors involved	371; Ag 29
Compression ratio		Fuel effects	Ap 34
Efficiency, mechanical, relation to	Je 30	Lubricant effects	Ap 34, Ap 35
Ignition affected by	Je 30	Makes	
Starting affected by	Je 30	Brons	407
Cooling, progress	413	Caterpillar	393
Costs		Comet	Je 40; 414
Decrease in	Je 30	Hercules	Mr 24; Ap 39; 494
Gasoline engine compared with	Fe 30, Fe 50, Fe 52; My 30; 405	Hvid	407
Operating	Fe 30, Fe 50, Fe 52	International	Je 38
Other transportation types compared with	Fe 30	Junkers	Se 17
West Coast performance	Fe 52	Lanova	Ag 30
Crankcase design	409, 410	Ricardo	Ap 39
Crankshaft design	412, 413	Waukesha	Ap 39
Cylinder type, multiple	Ag 29	Motorboat use of	Ag 36
Design problems	10; Je 30	Motor-truck usage	Ap 39
Development		Navy use of	Ag 36
Foreign and domestic compared	Ap 36, Ap 37; Ag 30, Ag 40	Performance	
Oil-country	No 15	Atmospheric variation effects	312
Efficiency, mechanical, compression ratio relation to	Je 30	Correction for atmospheric variation	312, 313, 314
Exhaust, smokeless, efforts to obtain	Je 42	Otto-cycle engine compared with	312, 313, 314
Exhaust, smoky		Piston-ring sticking	Fe 18; Ap 36; 410, 411
Elimination of	409	Progress	Je 30, Je 40, Je 42; Ag 42; 414
Foreign operating experience	406	Railroad usage	Ap 39
Overloading effects	Ag 42	Servicing of	Je 38; 371; Ag 29
Foreign and American development compared	Ap 36, 37; Ag 30, Ag 40	Starting	Ap 38; 364, 365; 409
Foreign use of	405, 414	Testing	
Fuel-air ratio	312, 313, 314	Altitude performance	Fe 30, Fe 51; 263, 271
Fuel consumption, fuel type effects	398	Atmospheric variations	Fe 29, Fe 51
Fuel feeding		Combustion chamber shapes	23
Air injection	407	Supercharging effect	Fe 30, Fe 51
Camshaft effects	Ag 29	Temperature variations	Fe 29, Fe 51
Combustion chamber type relation	Je 37	Test engine described	312, 313
Direct injection	406, 407		
Injection equipment			
Design	Ag 20; 420		

Abbreviations Used:

January, Jn  
February, Fe  
March, Mr  
April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

	PAGE		PAGE
<b>Engines, Diesel (Concluded)</b>		<b>Engines, Motor-Truck (Concluded)</b>	
Tractor usage	Ap 35; Je 36	Makes	
Trends, U. S. Navy	232	General Motors	496
Wear	Ag 29; 410	Hercules	494, 496
Weight, importance of	406, 410	Lycoming	494
(See also Crankshafts; Cylinders; Detonation; Engines, Aircraft; En-		White	494, 496
gines, Marine; Engines, Motorcoach; Engines, Motor-Truck;		Oil drainage period	381, 392
Engines, Oil; Engines, Railcar; Engines, Tractor; Fuels,		Oil filter effects	385, 386, 392
Diesel; Oil Filters; and Pistons)		Size trends	133, 134
<b>Engines, Marine</b>		Wear	
Admiralty constant	14	Cylinder bore, precautions against	97
Aircraft compared with	15	Lubricant effects	Je 24, Je 25
Diesel	Je 40; Ag 36	Oil temperature effects	Je 24, Je 25
<b>Engines, Motorcoach</b>		<b>Engines, Oil</b>	
Compression ratio		Gasoline engine compared with	10
Fuel type effects	494	Makes, Hesselman	10
Power affected by	494	<b>Engines, Railcar</b>	
Trends	494	Diesel	
Cooling	116	Economies from	Je 32
Diesel		Firing effects	242
British	Je 40, Je 42	Foreign usage	414
Exhaust, smoky	406	Gasoline engine compared with	Je 34
Foreign usage	414	Low vs. High Cetane Fuels	242
Gasoline engine compared with	414	Problems involved	My 31; Je 42
Maintenance costs	414	Progress	My 31
Weight factor	406	Steam locomotive compared with	Mr 29; Je 34
Makes		Weight factor	406
Hall-Scott	494, 495; 506	Merits	My 31
Hercules	494	Makes, Winton	My 31
Reo	My 31	<b>Engines, Stationary</b>	
Wear, cylinder bore, precautions against	97	Belt speed standardization, cancellation recommended	Jl 23
<b>Engines, Motor-Truck</b>		<b>Engines, Tractor</b>	
NOTES ON APPLYING DIESEL ENGINES TO TRUCKS		Compactness	De 26
Cab-over-engine effects	Fe 30, Fe 52; 173, My 30; Ag 30	Crankcase ventilation	
Diesel	571, 576	Effects	Je 36
Brake mean effective pressure	175	Importance of	Je 36
Changeovers	173, 177	Sludge affected by	Je 36
Cold weather operation	Mr 24	Two types described	Je 36
Costs		Crankshaft deflection, test apparatus	De 26
Gasoline engine compared with	Fe 30, Fe 50, Fe 52; My 30	Design described	De 26
Operating	Fe 30, Fe 50, Fe 52	Diesel, lubrication	Je 36
Other transportation types compared with	Fe 30	Lubrication	Je 36
West Coast performance	Fe 52	Sludge control	Je 36
Depreciation	176	Vision-lined	De 26
Driving method, importance of	173, 177	(See also Air Cleaners; and Fuels, Tractor)	
Eastern and West Coast operation compared	173, 174		
Exhaust	177		
Fuel consumption			
Data on	174, 175, 176		
Gasoline engine compared with	173, 175, 176, 177		
Fuels			
Cost	173, 174, 177		
Specification	174		
Gasoline engine compared with	Fe 45; Mr 24; 173, 174, 175, 176, 177, My 30; Ag 30		
Haul, length of	173		
Lubrication, oil consumption	173, 174, 175, 176, 177		
Maintenance	Mr 24		
Merits	Mr 24; Ap 39; 173, 174, 175; My 30		
Mileage	174, 175, 176, 177		
Operating costs	173, 174, 175, 176		
Payload			
Gasoline engine compared with	176		
Weight relation to	176		
Progress	My 30		
Size	173		
Starting	139		
Taxation, English experience noted	177		
Torque, cranking, for various capacities	140		
Weight	173		
West Coast and Eastern operation compared	173, 174		
Failure causes, ignition	135		
Improvements desired	Fe 28, Fe 45		
Lubrication			
Oil properties, classification	Fe 28, Fe 46		
Oil viscosity	Je 24, Je 25		
Problems	381, 382		
Temperature control			
Need for	Je 24, Je 25; 325, 342		
Operating data	Je 24, Je 25; 329, 331		
Wear affected by	Je 24, Je 25		
Maintenance			
Cost	173, 175, 176, 177		
Gasoline engine compared with	173, 175, 176, 177		

	PAGE		PAGE
<b>Fleet Operation (Concluded)</b>		<b>Fuels (Continued)</b>	
S.A.E. cooperation	My 20, My 21, My 23	Aviation	
Trailer usage	280, 281	Alcohol blends	Ag 30; 418, 419
Vehicle selection		Benzol blends, merit shown by flight tests	Ap 18
Factors involved	274, 283	Cost factor	457
Importance of	274, 283; Jl 32; De 26, De 28	Improvement in	262
Models described	274, 276, 278, 279, 280	Iso-octane	
(See also Motor-Truck Operation and Performance; Motorcoach Operation and Performance)		Cost	Ap 18
<b>Foreign Design and Operation</b>		Future predicted	439
Automobile production and operation, Japan	Jn 32	Octane number	225; 439
Aviation		Power affected by	228
Airship	190, 191, 192, 193	Supply available	225
France	Ap 20; My 50	Isopropyl ether	
Germany	190, 191, 192, 193; Jl 13, Jl 14; Se 17	Octane number	225
Production, aircraft	No 26	Supply available	225
Bodies	224	Octane number	
Engines		Cost relation to	456
Aircraft		Earning power	Ap 17, Ap 18; My 42
Commercial	Jl 17, Jl 18	Future predicted	My 32; 439, 457
Cooling trends	Jl 17	Payload relation to	My 32; 456, 457
Diesel	Ap 17; Jl 14, Jl 15, Jl 17	Power affected by	Fe 66; My 32; 225, 229
Domestic compared with	Jl 14, Jl 15, Jl 17, Jl 18	Requirements	456
Engine types	Jl 17	Progress	456, 457
England	Jl 16	Supply available, high-octane types	225
France	Ap 20; Jl 15, Jl 16, Jl 18	Trends	457
Germany	Jl 13, Jl 14	Butane, utilization of	De 28
Horsepower rating	Jl 17	Diesel	
Italy	Jl 15	BEHAVIOR OF HIGH- AND LOW-CETANE DIESEL FUELS	
Magnesium usage	Jl 18		
Military	Jl 17, Jl 18	CETANE NUMBERS—LIFE SIZE	Je 40; 343; Se 40
Production	Jl 14, Jl 16, Jl 17	THE AMERICAN PICTURE—DIESEL FUEL RESEARCH	Fe 30, Fe 51; 232
Progress	Ap 16, Ap 17; Jl 13, Jl 18	Cetane number	Ag 38; 393
Russia	Jl 14, Jl 15	Chart to guide in selecting	Mr 24
Sleeve valves	Jl 16, Jl 17	Chemical properties	233
Trends	Ap 17, Ap 20; Je 15; 437	Cleanliness, importance of	Je 38
Diesel		Engine performance affected by	Je 32
Aircraft use	Je 42; 405	Ideal summarized	Fe 51
Domestic compared with	Ag 40, Ag 42	Ignition quality	Fe 30, Fe 51; Je 32, Je 34; 393, 398, 399
England and continent compared	Je 40, Je 42	Physical properties	233, Je 32
Fuel taxation	Je 40	Rating	
Future predicted	Je 40	Balanced-diaphragm used	Je 40
Germany	Je 31	Cetane number	Fe 30, Fe 51; 232, 238, 239, 240, 242, 251, Je 40; 343, 348
Motorcoach	Je 40, Je 42	Cetene number	343
Possibilities	414; 439	Computed combustion knock	251
Progress	Je 40, Je 41	Critical compression ratio	Je 40; 346, 347, 348
Laboratories	Jl 17, Jl 18	Diesel index number	Je 40
Motor-truck, Diesel, Germany	21	Engine, Cooperative Fuel Research, used	Fe 30, Fe 51; 233; 347
Supercharging	Jl 17	Engine, full size, used	Fe 30, Fe 51
Fuels	Jl 18	Engine, submarine type used	233
Lubricants	Jl 18	Ignition delay	234, 235, 236, 237, 242; Je 40; 346, 347, 348
Motorcoach operation	Je 40, Je 42	Ignition lag indicator, Pennsylvania State	Je 26
Motor transportation, Germany	No 21	Ignition quality	232, 233, 237, 239, 240, 241, 242, 251
Motor-truck, cab-over-engine, early type	571	Ignition quality indexes	
Roads and streets, Germany	21	Boiling point gravity constant	233
S.A.E. cooperation	Se 13	Diesel index number	232
Transmissions, automatic	207, 208, 209, 210, 211	Viscosity-gravity constant	233
Transportation, Germany		Ignition quality number	Je 40
Coordination	21	Indicator-card forms, comments on	241
Future predicted	21	Injection effects	346, 347, 348
Visits by S.A.E. representatives		Knockmeter used in	Fe 30
Belgium	Se 16	Laboratory and service correlation	241, 251
England	Se 13, Se 14	Reference fuels	Fe 30; 232, 233, 237, 240
France	Se 15	Reproducibility	240
Germany	Se 16, Se 17	Viscosity-gravity number	Je 40
Holland	Se 17	Reference fuel data	232, 233, 237, 240
<b>Frames</b>		Requirements	232
Section types		Research	Ag 38
Channel	501	Selection of	Je 32; Oc 26-D
I-section	501	Specifications	232, 233, 242, Je 34; 399
Tubular	501	Test fuel data	232, 233, 240
Z-section	501	Testing	
Trends	501, 502	Data analyzed	237; 344, 348
X-construction	501	Fuel spray characteristics	393, 394, 395, 396
<b>Fuels</b>		Ignition quality	393, 398, 399
Alcohol blends		Injection effects	393, 394
Aircraft use of	Ag 30	Methods	393, 394
Detonation affected by	Ag 30	Results analyzed	345, 346, 347, 348
Heat content reduction, effects of	418, 419	Test engine described	343; 393
Research	Ag 30	Viscosity	Je 30; 395, 398
Sources of	Mr 27	Volatility	398, 399
		Iso-octane, specifications proposed	Ag 26

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

	PAGE		PAGE
<b>Fuels (Concluded)</b>		<b>Gears (Concluded)</b>	
Propane		Oil changing, frequency of	204
Fire hazard	No 20	Oxidation	204
Merits	No 20	Power loss affected by	200
Octane rating	No 20	Recommendations, simplification needed	Se 40
Refrigeration use of	No 20	Special lubricants, reasons for	200
Testing, Diesel	Fe 30, Fe 51; Je 40; 343	Stability, importance of	201, 204
(See also Detonation, Fuel Factors; and Gasoline, Aviation)		Testing	201; 513
		Viscosity	204, 205
		Bearings, pre-loading of	199
		Load carrying capacity affected by	511, 512
		Rigidity	
		Importance of	197, 198; 511, 512
		Noise reduced by	197, 198
		Types described	198
		Noise, reduction means	197, 198; 498
		Power loss, lubricant effects	200
		Production, accuracy, importance of	199, 200
		Progress	In 30; 195; Se 38; 499
		Special lubricant required	195
		Spiral-bevel, hypoid compared with	195; 509, 511, 513
		Tooth action	
		Design effects	198
		Hypoid gears and other types compared	196, 197
		Load distribution	197
		Tooth pressures	197
		Tooth breakage	512
		Tooth loads	
		Data on	511
		Hypoid	510, 511
		Spiral-bevel	510, 511
		Transmission	
		Hypoid, lubrication of	Ag 42
		Noise, reduction of	311; 498
		Wear	
		Abrasion effects	202, 203, 204
		Lubricant type effects	202, 203, 204
		Testing	203
		<b>Generators</b>	
		Capacity rating	Jl 22
		Electrical load requirements	
		1926 car	358
		Present-day car	358
		Frictionally driven	No 13; 497
		Ignition performance affected by	367
		Increased demands on	358
		Load capacity, trailer	224
		Motor-truck	
		Progress	137
		Requirements	138
		Section modulus	133, 135
		Progress	358, 359, 362; 407
		Testing	359, 360
		Voltage control	360; 497
		<b>H</b>	
		<b>Headlighting</b>	
		Glare prevention	
		Color filters	351
		Polarized light	19; 110; 351
		Glare problems	Jn 28
		Headlamps	
		Location	503
		Progress	503
		Standardization	Jl 22, Jl 23
		Voltage standardization needed	Jl 22
		Weather effects	Jl 23
		Illumination requirements	349
		Inspection	350
		Lamps, adverse weather, specifications published	Ag 26
		Lenses, Polaroid	19; 110
		Multiple-beam	350
		Progress	503
		Regulations regarding	349, 350, 351
		Safety affected by	349, 350, 351
		Testing	21; 110
		(See also Lighting)	
		<b>Highways</b>	
		(See Roads and Streets)	
		<b>I</b>	
		<b>Ignition</b>	
		Aircraft	
		Radio shielding	
		Connections, importance of	530
		Equipment used	527, 528, 529, 530
		Harness location	530
		Heat resistance	530

### Abbreviations Used:

January, 1938

## Lubricants and Lubrication (Continued)

	PAGE
Hypoid lubricants	
Classification of	Jn 28
Durability tests	560
Field performance	561
Importance of	Jn 30
Laboratory tests	
Channeling	556, 559
Chemical analysis	555, 558, 563
Copper-strip test	556
Evaporation loss	556, 559, 564
Foaming	556, 559
Load carrying properties	555, 558, 561, 562, 563
Non-combustible sediment	556, 559, 565
Oxidation	555, 559, 564
Viscosity	555, 558, 563
Progress	557, 580
Scoring tests	
Conclusions	557
Failures	557
Procedure	556
Results summarized	556
Service temperatures	559, 560, 561, 565
Types tested	555
Load carrying capacity	
Classification	Jn 28
Measurement of	201
Testing	201, 203, 204; Je 48; 513
Load carrying capacity, testing machine for	
Gleason	513
Modification approved	Mr 19
Operating procedure revised	Jl 22
S.A.E. research type	Jn 28; 204; Je 48, Je 50; Jl 22; Ag 25; Se 17, Se 18; Oc 24; 555, 561
Timken	203
Necessity for	Jn 31; 200, 204
Nomenclature problems	Je 50
Other types compared with	Jn 31
Progress	204, My 29; Je 50; 513
Rear axle use	Fe 32; Mr 23; 201, 202, 203, 204; Je 48; No 15; 555, 561, 580
Selecting, recommendations for	204
Service information needed	My 29
Simplification of recommendations urged	Je 48, Je 50; Se 40
Special committees appointed	Mr 18, Mr 19
Testing, load carrying capacity	
Composition effects	555
Loading rate effects	Je 48; 555
Machines for	
Gleason	513
Modification approved	Mr 19
Operating procedure revised	Jl 22
S.A.E. Research type	Jn 28; 204; Je 48, Je 50; Jl 22; Ag 25; Se 17, Se 18; Oc 24; 555, 561
Timken	203
Methods described	201
Rubbing speed effects	Je 48; 555
Tests, laboratory	
Channeling	My 29
Chemical analysis	My 29
Copper strip	My 29
Evaporation loss	My 29
Foaming	My 29
Load-carrying properties	My 29
Non-combustible sediment	My 29
Oxidation	My 29
Viscosity	My 29
Tests, road	
Durability	My 29
Scoring	My 29
Transmission use	560, 561
Usage extent	Jn 31; My 29
Wear	539, 540
Film rupture	538
Film thickness	Se 30; 536, 537, 543, 544
Fluid-film lubrication defined	538
Friction	
Abrasive dirt effects	552
Addition agent effects	551, 552
Load effects	Se 30; 550, 553
Speed effects	Se 30; 551
Wear relation to	Se 30; 551, 553
Fundamentals, need for emphasis on	554
Future: predicted	Ap 36
Greases	Fe 56
Institution of Mechanical Engineers general discussion of	Se 18
Mineral, compound compared with	170, 171
Motor-truck problems	Je 24, Je 25

## Lubricants and Lubrication (Concluded)

	PAGE
Oil filter effects	385, 386, 392
Oil impurities classified	381, 382, 383
Oil life, determination of	387, 392
Oil properties required	Ap 36; 532
Oil reclamation	392
Oil selection	
Factors affecting	De 29
Importance of	De 29
Oil types	
Fixed compared with mineral	Je 39
Mineral compared with fixed	Je 39
Oiliness	
Addition effects	Je 27; Ag 29
Comparison, method proposed	542, 543
Definition	Mr 18; Je 39; 531, 540, 542; 553, 554
Importance of	543
Measurement of	531
Polar material effects	544
Research needed	543, 544
Testing	
Machine	
Description	531; 548
Improvements suggested	541, 542
Results	535, 536, 537
Wear reducing value, effect of	Je 27, Je 39
Viscosity relation to	Se 30; 537, 544; 553
Wear relation to	Je 26, Je 27; Se 30; 551, 552, 553
Oils for high-output aircraft engines	
Selection problems and methods	48, 49, 50, 51, 52, 53
Test results, rating of	52, 53, 54, 55
Tests, full-scale engine	50, 51
Oxidation tests	169
Partial-film lubrication	Je 39
Polar material	544
Pressure index needed	Je 39
Progress	Ap 35; Ag 42
Rating, defects in	Ag 42
Recommendations, simplification needed	Se 40
Stability	
Definition	483
Testing	
Correlation, engine and laboratory	489, 490, 491, 492
Data analyzed	488, 489, 492
Engine tests described	487
Laboratory methods described	Ap 18; My 42; 483, 484, 485, 486
Oil types used	488
Testing	
Actual engine tests needed	552
Coking	169
Four-ball machine	Se 17; 552
Kinetic oiliness testing machine described	Se 30; 548
Laboratory vs. road	Fe 56
Oiliness	Je 26, Je 27, Je 39; Jl 22; Se 30; 531; 548
Oil wear	Jl 22
Oxidation	169
Ring sticking	Jl 22
Stability	Ap 18; My 42; Jl 22, 483, 492
Test results analyzed	Se 30; 551, 552
Viscosity	Ap 18; My 42; Je 39; Se 30; 531
Trends	Ag 42
Viscosity	
Absolute viscosity, equation derived	538, 539
Oiliness relation to	Se 30; 537, 544
Pressure effects	Se 30; 534, 537, 540, 541, 542, 544
Pressure relation to	Je 39
Shear rate	541
Temperature relation to	Je 39; Se 30; 533, 537, 540, 541, 542
Temperature-pressure relation to	533, 534, 535, 540, 541, 542
Testing	Ap 18; My 42; Je 39; Se 30; 531
Wear	
Abrasive dirt effects	552
Addition agent effects	551, 552
Coefficient of	Se 30; 551, 552
Friction relation to	Se 30; 551, 553
Load effects	Se 30; 550
Oiliness relation to	Se 30; 551, 552
Speed effects	Se 30; 550, 553
Surface smoothness effects	Se 30; 551

(See also Automobile Operation and Performance, Lubrication; Axles, Rear, Lubrication; Engine Design and Construction, Lubrication; Engine Operation and Performance, Lubricants and Lubrication; Engines, Aircraft, Lubrication; Engines, Motor-Truck, Lubrication; Fleet Operation, Lubrication; Gears, Lubrication; Motor-Truck Design and Construction, Lubricating System; Motor-Truck Operation and Performance, Lubricants and Lubrication; Oil Filters; and Transmissions, Lubricants)

	PAGE		PAGE
<b>M</b>		<b>Motorcoach Design and Construction (Concluded)</b>	
<b>Massachusetts Institute of Technology</b>	Ap 19	Body and chassis unit construction	
<b>Materials</b>		Cost factor	121
Automotive use of	No 23	Design described	Fe 44; 120, 121
Body trim	505, 506	Merits	Fe 30, Fe 43
Glass		Safety affected by	121
LAMINATED SAFETY GLASS	11	Sales affected by	121
"POLAROID"	19, 110	Weight affected by	120
Production	11, 12	City type	No 28
Safety		Engine mounting, rear	
Cooperative work	12	Advantages	Fe 31; Ag 30
Criticisms of	355	Comfort affected by	120
History	11	Progress	425
Production	11, 12	Safety affected by	121
Progress	12	Tire effects	Mr 27
Heat insulation	505	Weight distribution improved by	Mr 27
Plastics	Ag 42; 503, No 26	Improvements needed	No 29
Sound elimination	505	Makes	
Textiles, progress in	De 28	A.C.F.	506
Thermo-setting	Ag 42	Chicago	Mr 24
Upholstery		General Motors	306; 506
Dyeing	Je 30	Twin Coach	506
Production	Je 30; Oc 26-D	Yellow Coach	Mr 24
Progress	Je 30, Je 31; Oc 26-D; De 28	Progress	506; No 29
Requirements	Je 31; De 28	Propeller shaft mounting standardization	Jl 22
Types of	505, 506	Sleeper buses	
Woolens and worsteds	Oc 26-D	Design described	My 31
(See also Metals and Rubber)		Frame	My 31
<b>Metals</b>		Magnesium alloy used in	My 31
Bronze		Passengers, number of	My 31
Chemical composition	161	Problems	My 31
Engine, aircraft, use	161, 162, 163, 164	Transmission	My 31
Cast iron		Weight	My 31
Camshaft material	Mr 28; 284, 287, 288, 289	Sleeping accommodations	
Damping capacity defined	Mr 29	Design problems	Oc 26-D
Chemical composition		Need for	Oc 26-D
Camshaft material	288	Specifications suggested, ideal	No 28, No 29
Crankshaft material	289	Weight	
Crankshaft material	Mr 28; 284, 289, 290	Aircraft influence	120
Physical properties		Body and chassis unit construction effects	120
Camshaft materials	287, 288, 289	Material effects	120
Crankshaft material	289, 290	Tire sizes affected by	121
Damping capacity	285, 286	(See also Bodies, Motorcoach; Engines, Motorcoach; Motorcoach Operation and Performance; Springs, Suspension; Tires, Motorcoach; and Transmissions, Motorcoach)	
Fatigue strength	284, 285	<b>Motorcoach Operation and Performance</b>	
Torsional strength	287	EVOLUTION OF BUS-FLEET MAINTENANCE PRACTICES	No 26; 566
Vibration damping capacity	285, 286	Body and chassis unit construction effects	121
Progress	284	British	Je 40, Je 42
Copper, aircraft engine use	160, 161	Clutches	Fe 29, Fe 47
Cylinder block material	93	Cost, throttle stop effects	Jl 32
Engine, aircraft, requirements	153	Depreciation costs	No 28, No 29
Hardness	153	Factors affecting	De 16, De 17
Iron research	Jl 28	Fuel mileage	570
Magnesium		Gas analyzers used	570
Aluminum alloys compared with	157, 160	Gasoline mileage increased	121
Chemical composition	158	Maintenance	
Magnesium		Cost	Je 40, Je 42; No 28, No 29
Engine, aircraft, use	157, 158, 159, 160, 161; No 25	Design effects	My 32
Physical properties	158	Equipment and methods	My 32; No 26; 568, 569
Non-ferrous		Failure causes	570
Amounts used per car	No 23	History	566
Engine, aircraft, specifications	158	Inspection	No 29; De 17; 568
Specifications	154, 158, 160	Methods and equipment	My 32; No 26; 568, 569
Testing		Personnel problem	567
Engine, aircraft, materials	153	Preventive	My 32
X-rays used in	123, 124, 125, 126, 127, 128	Progress	No 26
Wear, causes analyzed	Mr 23	Records	
(See also Aluminum and Aluminum Alloys; Bearings, Metal; Corrosion and Corrosion Prevention; and Steels)		Examples of	568
<b>Motor</b>		Importance of	De 17, 567
(See Engine)		Tools, special, need for	My 32
<b>Motorboats</b>		Trouble analysis effects	De 16, De 17
Hull design	Ap 40	Makes, General Motors	306
Material used	16	Mileage	No 28, No 29
Racing history	Ap 40	Oil filter merits	Jl 32
<b>Motorcoach Design and Construction</b>		Salvaging	569
THE CHASSISLESS OR UNIT-CAR QUESTION	Fe 30, Fe 44; 120	Schedules	567
Accessibility, improvements needed	131	Taxation	569

**Abbreviations Used:**

January, Jn  
February, Fe  
March, Mr  
April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

	PAGE		PAGE
<b>Motorcoach Operation and Performance (Concluded)</b>		<b>Motor-Truck Design and Construction (Concluded)</b>	
Throttle stops, merits of	Jl 32	Wheelbase	278; Se 29; 577, 578, 579
Tire failure decrease	De 17	Windshield	Je 22
Transmissions	Fe 29, Fe 47; Mr 24	Cabs, types described	278, 279
Wear, cylinder bore, precautions against	97	Cost	274, 276, 278
(See also Accidents and Accident Prevention, Motorcoach; Bodies, Motorcoach; Engines, Motorcoach; Fleet Operation; Motorcoach Design and Construction; Riding Qualities; Springs, Suspension; Tires, Motorcoach)		Equipment, auxiliary	My 22; 280
		Lubricating system, accessibility requirements	131
<b>Motor-Truck Design and Construction</b>		Maintenance	
CAB-OVER-ENGINE TRUCKS—THEIR PLACE IN TRANSPORTATION	Je 20; Ag 24; 421, Se 29	Accessibility requirements	131
CAB-OVER-ENGINE TRUCKS—THEIR STATUS AND ADVANCE IN DESIGN	Je 21; Se 29; 571	Design requirements	131
UTILITY TRUCKS, CABS, BODIES AND AUXILIARY EQUIPMENT	My 22; 273, Jl 32	Makes	
VEHICLE DESIGN FROM A MAINTENANCE AND OPERATING STANDPOINT	Fe 28, Fe 45; 129	Alco	571
Aluminum used in	My 22, My 23; 274, 276	Alden-Sampson	571
Bodies, aluminum alloy vs. steel		Autocar	My 30; Je 22; 506; 571, 572, 573, 574, 575, 576, 577, 578, 580
Cost	My 22	Chevrolet	499; 579
Bodies, aluminum alloy vs. steel		Dearborn	572, 579, 580
Weight	My 22	Diamond T	501, 502
Body types described	274, 276, 278, 279	Dodge	579
Cab-over-engine type		Federal	571, 572, 574, 576
American and European practice compared	421	Ford	502, 506; 579
Appearance	Je 21; 422	F.W.D.	571, 572, 575
Axles	Se 29; 577	General Motors	Fe 58; 499, 500; 571, 572, 573, 574, 576, 577, 578, 579
Battery location	576	Indiana	Fe 57
British design, early	571	International Harvester	502; 571, 572, 573, 574, 576, 577, 578, 579
Cab and tread data	572	Mack	My 30; De 17; 571, 572, 573, 574, 575, 576, 577, 578, 579
Cab types, special	572	Montpelier	572, 579
Conventional type compared with	Je 22; 425, Se 29; 577	Pope Hartford	571
Conversion of conventional type	Je 21; 579, 580	Reo	571, 572, 574, 576, 577, 578
Cost factor	Je 21, Je 22; 283; 422, 425, 427; Se 29	Sterling	571, 572, 574, 575, 576, 577, 578
Definition	Ag 24	Studebaker	571, 572, 574, 576, 577, 578, 579, 580
Description	278, 279	Ward LaFrance	571, 572, 574, 576, 577, 578
Disadvantages	Je 22, Je 23	White	Fe 57; My 30; 499, 500, 506; 571, 572, 573, 574, 576, 577, 578
Discontinuance and revival, reasons for	421, 422	Manufacturers' and operators' cooperation	283
Door location	Ag 24; Se 29	Military	
Engine, accessibility of	283; Se 29; 506	Design requirements	No 20
Engine compartment, location of	Se 29; 572	Factors affecting	No 20
Engine hood insulation	572, 574	Multi-wheel drive	No 20
Engine, removable	Je 22, Je 23; Se 29; 574, 576	Progress	Fe 58; My 22; 273, 274, 275, 276, 278, 279, 280; 506; 580; De 26
European and American practice compared	421	Propeller shaft mounting standardization	Jl 22
Field for	Ag 24	Semi-trailers	422
Front-end types	571, 572	Size	274, 278, 279
Future predicted	Je 21, Je 22; 427	Specifications	
Gasoline tank location	576	Comparison of	132
Gearshift	574	Suggestions for	129, 130
History	Je 20; 421; 571	Steel used in	274, 275, 276
Legal factor	Je 21	Streamlining	506
Legislative effects	422	Tanks	
Load space	422, 425	Army	No 20
Maintenance		Problems involved	No 20
Accessibility requirements	Je 21	Weight	
Cab, tilting of	575	Chassis	
Conventional type compared	Je 22	Cab-over-engine and conventional compared	577
Cost	Je 22; Se 29	Conventional and cab-over-engine compared	577
Engine removable	Je 22; Se 29; 574, 576	Data on	132
Merits	Je 20, Je 21, Je 22; Ag 24; 422, 424, 425; Se 29	Price relation to	132, 133
Noise reduction	574	Reduction importance	274, 276, 279
Parking merits	425	Reduction means	274, 276, 279
Payload factor	422	Weight distribution, cab-over-engine type	578, 579, 580
Progress	580	(See also Axles, Motor-Truck; Bodies, Motor-Truck; Brakes, Motor-Truck; Engines, Motor-Truck; Legislation; Motor-Truck Operation and Performance; Tires, Motor-Truck; Trailers; Transmissions, Motor-Truck; and Transportation)	
Propeller shafts	577		
Radiator location	572	<b>Motor-Truck Operation and Performance</b>	
Revival after discontinuance, reasons for	422	FUNDAMENTALS OF VEHICLE PERFORMANCE	Je 23; Ag 13; Se 30
Riding qualities	Je 22; 578	OIL FILTERS IN PUBLIC UTILITY FLEET OPERATION	My 21; Jl 32; 381
Safety factor	Je 21, Je 22; 283	Air resistance	Ag 14
Seat data	574	Army	Ag 30
Six-wheelers	578	Auxiliary equipment	My 22; 280, 281; Ag 13
Size factor	422, 425	Cost	
Standard chassis converted to	Je 21; 579, 580	Cab-over-engine effects	283
Tires	578, 579	Diesel and gasoline engines compared	Fe 30, Fe 50, Fe 52
Tread and cab data	572	Throttle stops, effect of	Jl 32
Trends	426	Design factors	Je 24
Truck-trailer combination	422	Equipment, auxiliary	My 22; 280, 281; Ag 13
Usage extent	427	Exploration use	No 15
Visibility	Je 21, Je 22; 571, 572	Factors affecting	Ag 12, Ag 14; De 16, De 17
Weight, chassis, conventional compared with	577	Gear reduction factor	Je 24; Ag 16
Weight distribution	Je 22; Se 29; 578, 579, 580	Grade ability	132, 134; Ag 15
Weight factor	422	Grades	Ag 14



**Oil Filters (Concluded)**

Oil temperature affected by	386
Progress	383, 384
Servicing	My 33
Size	My 33
Types	383, 384

**Omnibus**

(See Motorcoach)

**P****Passenger-Car**

(See Automobile)

**Petroleum Industry**

Automotive industry relation to	No 15
Problems	De 28
Progress	No 15

**Pistons**

Aircraft	
Forging vs. casting	159
Ring sticking	Fe 19; 162, 165, 166, 172; 546, 547
Rings	545, 546, 547
Aluminum	
Cast iron compared with	92
Tin plated	494
Usage extent	410
Cast iron, aluminum compared with	92
Diesel	
Aluminum alloy	410
Displacer type	24
Ring sticking	Fe 18; 165, 166; 546, 547
Friction	
Material effects	Mr 31
Measurement of	Fe 33
Progress	494, 495
Rings	
Blowby effects	Ag 29
"Combination" type	96
Cylinder wear affected by	Fe 18; 93, 96
Design described	Fe 18
Diesel	Fe 18; 96
"Gold-Seal" type	96
Material used	Fe 18; 96
Number of	494
Oil consumption affected by	Mr 30
Progress	494, 495
Scuffing	Fe 18; 495
Sticking	
American and European experiences compared	410
Blowby relation to	162, 172; 547
Breaking-in methods	167
Causes	Fe 18, Fe 19; 411
Clearance	547
Compounded oils	170, 171
Design effects	Fe 18; 166
Design modifications needed	547
Diesel engine	410, 411
European and American experiences compared	410
Fuel effects	165, 166; 546
Lubricant effects	Fe 18; 167, 168, 169; Ag 29; 411; 546
Oil characteristics	546
Oil decomposition effects	165, 166
Oil stability effects	546, 547
Oil temperature effects	546
Oil type influence	169
Oil types compared	170, 171
Problem analyzed	545, 546
Problem, Diesel engine, analyzed	165, 166
Research needed	547
Temperature effects	Fe 18; 166, 167, 168, 169, 170
Testing, laboratory	168
Time element	167, 168
Viscosity effects	546, 547
Testing	Fe 18, Fe 19
Trends	495
Wear	
Lubricant effects	Ag 29
Oil type influence	170, 171
Out-of-round	171
Ring width effects	92
Width	92; 495
Temperature, aircraft	459
Turbulator type	No 13; 493, 497
Wear	
Lubricant effects	Ag 29
Material effects	Mr 31
Weight trends	495

(See also Lubricants and Lubrication)

**Production**

CAST CAMSHAFTS AND CRANKSHAFTS	Mr 28; 284
DIE CASTINGS FOR AUTOMOTIVE PARTS	Ap 33; 293
PRECISION CYLINDRICAL GRINDING	1
THE "TOCCO" PROCESS OF HARDENING	Fe 58; My 34; 370
X-RAYS AND GAMMA RAYS—THEIR INDUSTRIAL APPLICATION	122
Aircraft	
Casting	121, 159; No 25, No 26
Spotwelding	
Cost	105
Equipment and methods	100, 105, 106, 110
Future	107, 110
Merits	99
Budget	
Factors causing success or failure	Fe 33, Fe 68; 143
Importance of	Fe 33, Fe 70; 143
Methods of control	Fe 33, Fe 68, Fe 70
Time factor, relation to	Fe 33; 143
Casting	
Aircraft	121, 159; No 25, No 26
Aluminum	121; No 25, No 26
Camshafts	284
Cost	284
Crankshafts	284
Die Casting	
Aluminum Alloy	No 26
Appearance	298
Applications	
Body parts, exterior	Ap 33; 298
Body parts, interior	Ap 33; 300
Chassis parts	Ap 33; 301
Design suggestions	302, 314
Grilles, radiator	Ap 33; Ap 34; 294, 295
Grilles, radio	299
Louvers	Ap 33; 298
Steering wheel parts	Ap 33; 295, 296, 297
Window frames	Ap 33; 297
Windshield parts	Ap 33; 297
Design suggestions	302, 314
Development	Ap 33
Fastening, methods of	298, 299
Finishing	301, 302
Merits	Ap 33; 293
Use, reasons for	293
Weight	297, 298, 301
Zinc alloys	
Cost	293, 297, 301
Limitations	293, 294
Merits	293
Physical properties	293
Temperature effects	293
Usage extent	293
Forging compared with	121, 159; 284, 289
Inspection, X-ray	125, 126, 128, 172
Magnesium	No 25
Cleaning compounds	
Gasoline disadvantages	Je 35
Properties of	Je 35
Cooperation	
Designer and production man	Ap 32, Ap 33
Importance of	Fe 33, Fe 70
Drop hammer	No 26
Engine, aircraft	
History	178
Inspection	181, 182, 189
Material handling	181, 182
Methods and operations	182, 183, 184, 185, 186, 187, 188, 189
Operations and methods	182, 183, 184, 185, 186, 187, 188, 189
Plant layout	179, 180, 181
Finishes, progress	De 30
Forging	
Aircraft	121, 159, 182, 183, 184, 186
Aluminum	121
Casting compared with	121, 159; 284; 289
Grinding	
Centerless	
Advantages	4
Applications	6
Centertype compared with	1
Cooling	6
Development	4
Methods	5
Centertype	
Basic principles	1
Centerless compared with	1
Methods	2

	PAGE		PAGE
<b>Production (Concluded)</b>		<b>Roads and Streets</b>	
Hardening		Design	
Crankshafts		Dual type	Fe 61
Problems of	Fe 58; 370, 371	Four-lane type	Fe 61
Tocco process	Fe 58; 370, 371	Parkways	Fe 61
Tocco process	Fe 58; 370, 371	Width	Fe 61
Job study	Jn 29	Foreign, Germany	21
Lapping, centerless	10	Highway planning survey	Fe 17
Management problems	143	Lighting	21
Mass production		Surface	
Progress	Ap 32, Ap 33	Accident factor	Fe 61
Three types defined	Ap 32	Color	Fe 61
Procurement planning	554	Traffic	
Progress	Fe 33, Fe 70; Ap 33	Congestion evils	Jn 28
(See also Aircraft Design and Construction, Production; Camshafts, Production; Corrosion and Corrosion Prevention; Crankshafts, Production; Engines, Aircraft, Production; Gears, Production; Tools; and Welding)		Control, safety factor	Jn 28
		German conditions	21
		Road design effects	Fe 61
		Tunnel	
		Diesel engine effects	De 17
		Safety factor	De 17, De 18
		Wrecking truck designed for	De 17
		Royal Aircraft Establishment	445
		<b>Rubber</b>	
		Amounts used per car	No 23
		Ordinance Advisory Subcommittee appointed	Oc 24
<b>R</b>		<b>S</b>	
<b>Racing</b>		<b>S.A.E.</b>	
Automobile		Accident prevention	Mr 15
Improvement, factors involved	Jl 25	Committees	
Rules	Jl 25	Administrative	
Midget cars	Ag 36	Constitution	Fe 34
<b>Railcars</b>		Finance	Fe 34
Automobile influence on	Jc 32	House	Fe 34
Brakes	My 31	Meetings	Fe 34, Fe 39
Description	Jc 42	Membership	Fe 34, Fe 39
Design details	My 31	Publication	Fe 34, Fe 39
Makes		Sections	Fe 34, Fe 41
Brill	506	Annual Meeting Dinner	Jn 21
Budd	My 31	Brake	Fe 37
Burlington	Mr 29; Jc 32	Engineering Display	Fe 37
Stout	311	Engineering Relations	Fe 37; Ap 33
Merits	My 31	Institutional Promotion	Fe 37
Oil consumption	Jc 42	Manly Memorial Medal Board of Award	Jn 21; Fe 37
Operating cost	Jc 32	Motor-Truck and Motorcoach Rating	Fe 37
Operating economies, three sources of	Jc 32	Nominating	Fe 15
Speed	My 31; Jc 42	Ordinance Advisory	Jn 21; Fe 37; Jl 25; Oc 24
Steam locomotive compared with	Jc 42	Overseas Relations	Fe 37
Steel used in	My 31	Past-Presidents Advisory	Mr 29
Streamlining	Jc 32, Jc 40	Personnel changes	Ap 37
Usage extent	Jc 32	Placement	Fe 37
Weight	Jc 32, Jc 42	Representatives on other organizations and committees	Jn 21; Fe 37
Welding technique, improvements desired	My 31	Research	Fe 35, Fe 36, Fe 39
(See also Engines, Railcar)		Wright Brothers Medal Board of Award	Jn 21; Fe 37
<b>Railroads</b>		Council	Fe 24
(See Transportation)		Engineering relations department	
<b>Research</b>		Establishment	Mr 15
Coordination, importance of	My 30	Importance	Mr 15
Economics related to	My 30	Finances	Fe 42
Human research, need for	My 30	Foreign technical notes	My 37; Jc 43; Jl 29; Ag 31; Se 31; Oc 27; No 30; De 31
Importance of	Fe 55	Future demands	
Industrial crops	Mr 27	Engineering relations	Mr 15
Iron and steel	Jl 28	Membership	Mr 14
Laboratories, Bureau of Standards	Ap 18, Ap 19	Papers	Mr 15
Test engine described	My 32	Research	Mr 15
(See also Instruments; S.A.E., Research and Testing)		Standardization	Mr 15
<b>Riding Qualities</b>		Growth	Mr 14
Axle effects	Jl 25	Meetings	
Factors affecting	Jl 25, Jl 26	Aeronautical Chamber of Commerce of America cooperation	Mr 16; Ap 16
Motorcoach		Air Transport Association of America cooperation	Mr 16; Ap 16
Engine mounting, rear	120	American Society of Mechanical Engineers cooperation	Mr 16, Mr 17; Ap 16, Ap 20
Springs	120	Annual	Jn 17, Jn 18, Jn 19; Fe 13; Mr 17; Ag 22; Se 28; Oc 24; No 16; De 28
Research	Jl 22	Annual Business Session	Fe 15
Testing, instruments for	Mr 18	Annual Dinner	Mr 17; Jc 32; Jl 24; Ag 22; Se 28; Oc 21, Oc 24; No 16; De 13
Vehicle design effects		Engineering displays at	Jn 34
Springs, suspension			
Coil, advantages of	Jl 25, Jl 26		
Independent wheel	Jl 25		
(See also Instruments)			
<b>Rims</b>			
(See Tires and Rims)			

# Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

## S.A.E. (Continued)

Institute of the Aeronautical Sciences cooperation	Mr 16; Ap 16, Ap 20
National Aeronautic	Mr 16, Mr 19, Mr 22; Ap 16
National Aircraft Production	Mr 17, Mr 19; Ap 31; Je 30, Je 32; Jl 24; Ag 22; Se 21, Se 28; Oc insert, Oc 17, Oc 24
National Production	Mr 17; Je 32; Jl 24; Ag 22; Se 28; Oc 24; No 16; De 20
National Tractor	Mr 16, Mr 17, Mr 19; Ap 31; Je 36
Regional	
Fuel and Lubricants, Tulsa	Mr 17; Je 32; Jl 24; Ag 22, Ag 23; Se 23, Se 28
Tractor, Peoria	Mr 17, Mr 19; Ap 31; Jl 24; Ag 22, Ag 23; Se 22, Se 28; Oc 26-A
Transportation and Maintenance, Baltimore	Mr 16, Mr 19; Ap 31; My 20
Transportation and Maintenance, Chicago	Mr 17; Ag 22, Ag 23; Se 22, Se 28
Transportation and Maintenance, Newark	Mr 17; Oc 24; No 16, No 22
Transportation and Maintenance, San Francisco	Mr 17; No 16, No 23
Sections cooperation	Jn 19; Mr 16, Mr 17; My 20; Se 21; Oc insert, No 22
Summer Membership	Mr 17, Mr 19; Ap 31; My 18; Je 13; No 16
Applicants for membership	Jn 25; Fe 25; Mr 25; Ap 30; My 35; Je 33; Jl 24; Ag 27; Se 28; Oc 26; No 17; De 21
Applicants qualified	Jn 25; Fe 25; Mr 25; Ap 30; My 35; Je 33; Jl 23; Ag 27; Se 27; Oc 26; No 17; De 21
Campaign for increase in production field	Mr 26
Certificates	My 25
Increase needed, type of	Mr 15
Life, award of	Fe 15
Obituaries	Jn 24; Fe 27; Mr 21; Ap 31; My 27; Je 35; Jl 19; Ag 22; Se 26; Oc 25; No 19; De 19, De 23
Personal Notes	Jn 22; Fe 26; Mr 20; Ap 28; My 26; Je 28; Jl 19; Ag 20; Se 20; Oc 20; No 18; De 22
Notes and Reviews	Jn 38; Fe 61; Ap 44
Objectives	Fe 16; No 16
Officers	
Election	Fe 15
Nomination	Oc 23; De 31
President	Fe 21
Vice-Presidents	Fe 22, Fe 23; Ag 25
Origin	Mr 14
Papers, technical, importance of	Mr 15
Papers Available in Mimeographed Form	Ap 27
Professional Activities	
Aircraft	Fe 23, Fe 34; Ap 16; Se 21
Aircraft Engine	Fe 22, Fe 34; Ap 16; Se 21
Diesel Engine	Fe 23, Fe 34
Fuels and Lubricants	Fe 22, Fe 34; Se 23, Se 28
Passenger Car	Fe 23, Fe 34
Passenger Car Body	Fe 22, Fe 35
Production	Fe 23, Fe 35; Mr 26
Tractor and Industrial Power Equipment	Fe 23, Fe 25; Je 36, Je 38; Oc 26-A; De 26
Transportation and Maintenance	Fe 22, Fe 35, Fe 46; Mr 19; 129, 140; My 20; Se 22; Se 28
Truck, Bus and Railcar	Fe 23, Fe 35; Se 22, Se 28
Progress	Ap 24; My 30
Publications	
Journal	Fe 39
Roster	Fe 39; Mr 26; Se 19
Transactions	Fe 39
Research	
Committee changes	Se 25
Highways	Fe 40
Ignition	Fe 40; Mr 18; Jl 22; Jl 23
Lubricants	
Cutting fluids	Mr 26
Extreme-pressure	Fe 40; Mr 18; Mr 19; Jl 22
Oil stability	Fe 40; Mr 18; Jl 22
Oiliness	Fe 39; Mr 18; Je 39; Jl 22; 540
Nomenclature subcommittee	Jl 22
Riding Comfort	Fe 40; Mr 18; Jl 22
Test engine ready for production	Ag 26
Textile	Fe 40; Jl 22
Value of	Mr 15
Wheel Alignment	Fe 40; Mr 18; Jl 22
Sections	
Baltimore	Jn 26; Fe 54, Fe 59, Fe 60; Mr 23; Ap 24, Ap 31, Ap 37; My 20, My 28, My 36; Jl 25; Ag 24; Se 18, Se 24; Oc 22; No 16, No 21; De 28, De 29
Buffalo	Jn 26, Jn 36; Fe 54, Fe 59; Mr 19; Ap 24, Ap 31; My 28, My 36; Jl 25; Ag 24; Se 18, Se 24; Oc 22; No 21, No 24; De 29, De 30

## S.A.E. (Continued)

Canadian	Jn 26, Jn 36; Fe 54, Fe 59; Mr 27; Ap 24, Ap 30, Ap 31; My 28, My 29, My 36; Je 31, Je 32; Jl 25; Ag 22, Ag 23, Ag 24; Se 18, Se 22, Se 24, Se 28; Oc 22, Oc 24; No 16, No 21; De 26, De 28, De 29
Chicago	Jn 26, Jn 29; Jn 36; Fe 54, Fe 55, Fe 59; Mr 19, Mr 23, Mr 24; Ap 24, Ap 30, Ap 31; My 28, My 29, My 36; Je 31, Je 32; Jl 25; Ag 22, Ag 23, Ag 24; Se 18, Se 21, Se 24, Se 28; Oc 22, Oc 24; No 15, No 16, No 22, De 26, De 29
Cleveland	Jn 26, Jn 36; Fe 54, Fe 59; Mr 19, Mr 27; Ap 24, Ap 31; My 28, My 30, My 34, My 36; Jl 24, Jl 25, Jl 28; Ag 22, Ag 23, Ag 24; Se 18, Se 22, Se 24, Se 28; Oc 22, Oc 24; No 16, No 21; De 28, De 29
Colorado Club	De 25
Dayton	Jn 26, Jn 34, Jn 36; Fe 54, Fe 58, Fe 59; Mr 19; Ap 24; My 28, My 36; Jl 25; Ag 24; Se 18; Oc 22; No 21, No 24
Detroit	Jn 26, Jn 29, Jn 32, Jn 34, Jn 36; Fe 54, Fe 59, Fe 61; Mr 19, Mr 27; Ap 24, Ap 31, Ap 33; My 28, My 31, My 36; Je 30, Je 32; Jl 25; Ag 24, Ag 25; Se 18, Se 19, Se 24, Se 28; Oc 22, Oc 24; No 16, No 21; De 24, De 29
Denver Club	Mr 28; My 34; Jl 26; Oc 22; No 23
Indiana	Jn 26, Jn 36; Fe 54, Fe 59; Mr 19, Mr 22; Ap 24, Ap 31, Ap 34; My 28, My 32; Jl 25; Ag 24; Se 18, Se 24, Oc 22, Oc 24; No 16, No 21; De 29, De 30
Kansas City	Jn 26, Jn 36; Fe 54; Mr 19, Mr 22; Ap 24, Ap 31; My 28, My 36; Je 32; Jl 25; Ag 24; Se 18, Se 24; Oc 22; No 21
Metropolitan	Jn 26, Jn 27, Jn 36; Fe 54, Fe 57, Fe 59, Fe 60; Mr 19, Mr 24, Mr 27; Ap 24, Ap 31, Ap 35; My 28, My 30; Jl 25; Ag 24; Se 18, Se 24, Se 28; Oc 22, Oc 24; No 16, No 21, No 22; De 16, De 26, De 29
Milwaukee	Jn 26, Jn 31, Jn 36; Fe 54, Fe 59; Mr 19, Mr 29; Ap 24, Ap 30, Ap 31; My 28, My 34, My 36; Je 32; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 20, No 21; De 25, De 29
New England	Jn 26, Jn 28, Jn 36; Fe 54, Fe 59, Fe 61; Mr 19, Mr 28; Ap 24, Ap 31, Ap 35; My 28, My 36; Je 31; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21, No 24; De 25, De 29
Northern California	Jn 26, Jn 31, Jn 36; Fe 54, Fe 59; Mr 19; Ap 24, Ap 31, Ap 39; My 28, My 33, My 36; Je 32, Je 35; Jl 25, Jl 26; Ag 24; Se 18, Se 24, Se 28; Oc 22, Oc 24; No 16, No 21, No 23; De 25, De 29
Northwest	Jn 26, Jn 29, Jn 36; Fe 54; Mr 30; Ap 24, Ap 39; My 28, My 36; Je 30; Jl 25, Jl 28; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21, No 23; De 25
Officers	Se 24; No 24
Oregon	Jn 26, Jn 36; Fe 54, Fe 57, Fe 58, Fe 59; Mr 31; Ap 24, Ap 33; My 28, My 33, My 36; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21, No 23; De 25, De 29
Philadelphia	Jn 26, Jn 32, Jn 36; Fe 54, Fe 58, Fe 59; Mr 19, Mr 23, Mr 24; Ap 24, Ap 31, Ap 32; My 28, My 32, My 36; Je 31; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21
Pittsburgh	Jn 26, Jn 30; Fe 54, Fe 60; Mr 29; Ap 24, Ap 32; My 36; Je 30; Jl 25, Jl 26; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21; De 28, De 29
Programs outlined	Oc 22
St. Louis	Jn 26, Jn 28, Jn 36; Fe 54, Fe 59; Ap 24, Ap 31; My 28, My 36; Je 34; Jl 25; Ag 24; Se 18; Oc 22; No 21; De 29
Southern California	Jn 26, Jn 36; Fe 54, Fe 56, Fe 59; Mr 30, Mr 31; Ap 24, Ap 36; My 28, My 29, My 36; Je 34; Jl 27; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21, No 23, No 24; De 25, De 29
Southern New England	Jn 21, Jn 26, Jn 36; Fe 54, Fe 60; Mr 19, Mr 22; Ap 24; My 28; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 21; De 17, De 29
Syracuse	Fe 54, Fe 59; Ap 24; My 28; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 21; De 29
Tulsa Group	De 29
Washington	Jn 26, Jn 33, Jn 36; Fe 54, Fe 59, Fe 60; Mr 19, Mr 23; Ap 16, Ap 24, Ap 31; My 28, My 30, My 36; Jl 25; Ag 24; Se 18, Se 24; Oc 22, Oc 24; No 16, No 20, No 21; De 24, De 29
Student Activities	
General Motors Institute	Se 19; De 30
New York University	Fe 57; Ap 39; Je 34
Ohio State University	My 31

	PAGE		PAGE
<b>S.A.E. (Concluded)</b>		<b>Standardization Activities, S.A.E. (Concluded)</b>	
Oregon State College	Je 34; Jl 27	Lubrication	
Paper competition	Fe 57; Jl 27	Effect on bearing metals	Jl 22
Progress	Fe 57	Machine tapers	Jl 27; Fe 57
Purdue University	Jn 27	Machine tool	Jl 27
University of Detroit	My 32, My 34; Je 35; De 30	Motorcoach, propeller shaft mounting	Jl 22
Scope	Ap 24	Motor-truck	
Value of	Jn 16, Jn 27, Jn 31; Oc 26-A	Propeller shaft mounting	Jl 22
(See also Cooperative-Fuel Research and Standardization Activities, S.A.E.)		Recommendations for	129
<b>Safety</b>		National Machine Tool Builders' Assn. cooperation	Jl 27
(See Accidents and Accident Prevention)		Parts and fittings	
Societe des Ingenieurs de l'Automobile	Ag 25, Ag 26; Se 16	Bumper	Jl 23
<b>Springs, Suspension</b>		Tap drills	Mr 26
Coil	Jl 25, Jl 26; No 13; 500, 501	Progress	Fe 42
Deflection rate	500	Serial numbers, engine and car, location	
Independent wheel		Advantages stated	Ap 33
Progress	501; De 25	Request for standardization of	Ap 33
Riding qualities affected by	Jl 25	Springs, leaf, revision of	Mr 26
Leaf	501	Springs, subdivision on	Jl 22
Motorcoach	120	Springs, suspension, revision of	Ag 26
Shackles		Steel numbers	Se 19
Angle-mounted	501	Tolerances, nomenclature	Ag 24
Lubrication	Fe 56	Tractor	
Standardization	Jl 22	Magneto flange mounting	Jn 20; Fe 56
Trailer, tourist, effects	223	Revision recommended	Jl 22
Transverse stabilizer link	No 13; 493, 501	Testing code	Jn 20; Fe 56
Trends	No 13; 500, 501	Trailer coupling	Jn 28; Fe 43, Fe 54; Je 20; Ag 25; No 23
<b>Standardization</b>		Transportation subdivision formed	Jl 22
Engine rating tests, uniform procedure needed	My 48	V-belts and pulleys	Se 19
International	Fe 58	Value of	Mr 15; 153; Oc 22
International Standards Association	Se 16, Se 18	<b>Steels</b>	
Plates, engine-chassis numbers, proposed	Fe 57	Aircraft use of	99; No 25; 596
S.A.E. cooperation	Fe 58	Automobile use of	Ag 30
Steels	Fe 58	Bodies, motor-truck	274, 275, 276
(See also Standardization Activities, S.A.E.)		Castings, inspection, X-ray	128
<b>Standardization Activities, S.A.E.</b>		Corrosion-resistant	99
Aircraft, revision of	Fe 56	Crankshaft	Mr 29
American Society for Testing Materials cooperation	Fe 41; Jl 22	Engine, aircraft, use	153, 154, 155, 156, 157, 164
American Society of Agricultural Engineers cooperation	Jn 20; Fe 57; Jl 23	Failure causes	154, 155, 164
American Standards Association cooperation	Fe 57; Jl 22, Jl 27	Flaws	
American Transit Association cooperation	Fe 41	Detection methods	De 30
Anti-freeze solutions	Mr 26	Types of	De 30
Applications, unusual	Ap 33	Galvannealed	274, 275, 276
Army and Navy Standards Conferences cooperation	Fe 42	Grain size, control of	Jn 29
Ball and roller bearing	Jl 22	Motor truck use of	274, 275, 276
Chassis and engine number locations	Mr 26	Production	Jn 29
Committee		Progress	Ag 30; No 23
Membership	Fe 36, Fe 37	Research	Jl 28
Report	Fe 41	Sheet	Ag 30
Division reports approved	Fe 41, Fe 56	Springs, valve	Ap 40
Electrical equipment		Stainless	
Battery life-test stands	My 30	Aircraft use of	No 25; 596
Magneto flange mounting, tractor	Jn 20; Fe 56	Merits	596
Ratings	Mr 26; Jl 22	Testing	153
Engine and chassis number locations	Mr 26	Tubing	
Fuel pump mountings, revision of	Mr 26	Motorcoach use of	120
Gasoline engine		Safety affected by	121
Fan belt and pulley	Jl 22	Valve	Mr 29
Poppet valve specifications obsolete	Jn 21	Welding	99
Valve seat inserts	Jn 21; Fe 56	<b>Steering Systems</b>	
Handbook	Fe 42, Fe 57; Mr 26; My 30; Jl 22, Jl 23, Jl 28; Ag 26; Se 19; Oc 22	Gear reduction ratios	357, 369; 502
Illuminating Engineering Society cooperation	Jn 20	Inspection data revised	Jl 22
Inception of	De 26	Lubricant requirements	Fe 56
Lighting		Makes	
Bulb bases	Jn 20	Gemmer	502, 503
Headlamps, polarized	Jn 21	Ross	502
Headlighting equipment specifications	Fe 56	Oversteering	357
Headlighting laboratory test specifications	Jn 20	Progress	502
Inspection Code	Jn 20	Tire effects	357, 369
Lamps	Jn 20; Fe 56; Jl 22, Jl 23	<b>Streets</b>	
Lanterns, emergency	Fe 56	(See Roads and Streets)	
Revision of	Fe 56	<b>Superchargers and Supercharging</b>	
Sockets, plugs and connectors	Jn 20	Aircraft	
Specifications adopted by State of Washington	My 33	Advantages of	Je 32
		Commercial practice	459
		Diesel	
		Altitude performance	266, 267, 271
		Brake mean effective pressure	267
		Gasoline engine compared with	266, 267, 271
		Power affected by	266, 267, 271
		Fuel consumption affected by	460

**Abbreviations Used:**

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

	PAGE		PAGE
<b>Superchargers and Supercharging (Concluded)</b>		<b>Testing (Concluded)</b>	
Future predicted	My 30	Lubricant	
Intercooler needed	459, 460	Bearing rig used	54
Power affected by	Fe 33, Fe 54; Je 32; 226	Bench laboratory apparatus used	56
Power consumed by	226	Endurance test, 50-hr.	54, 55
Types compared	460	Extreme pressure	
Automobile		Machine modification approved	Mr 19
Brake mean effective pressure affected by	Je 32	Special committees appointed	Mr 18, Mr 19
Example given	Je 32	Full scale engine used	50, 51, 52, 53
Merits	Ag 36	O.I. stability	Mr 18; Ap 18; My 42
Nomenclature		Oiliness	Je 26, Je 27, Je 39; 531
Objection to	Ag 36	One-cylinder engine used	55, 56
Suggestion regarding	Ag 36	Oxidation cup used	53
Power affected by	Je 32	Piston ring sticking	Fe 19
Progress	497	Stability	483
Racing car use of	Ag 36	Viscosity	531
Centrifugal type		Metals	153
Merits	Je 32	Piston ring sticking	Fe 18, Fe 19
Noise elimination	Je 32	Riding-qualities, instruments for	Mr 18
History	No 36	Test engine described	343
Independently-driven type	Ag 24	Tire size, tractor	
Merits	No 36	Photographic methods	Oc 26-B
Types used	Je 32; No 36	Results stated	Oc 26-B
		Vibration	Je 26; 428
<b>T</b>		(See also Detonation, Testing; Fuels, Diesel, Rating; and Instruments)	
<b>Temperature</b>		<b>Tire and Rim Association</b>	Oc 26-C; No 35
A SPARK-PLUG ADAPTED FOR MEASURING CYLINDER-HEAD		<b>Tires and Rims</b>	
TEMPERATURES	Fe 28, Fe 48; 151	Cost trends	Fe 60
Cylinder head, measurement of	151, 152, 172	Improvements needed	Fe 60
Engine		Loading, tourist trailer effects	223
Control factors	111	Motor-truck	
Lubricating oil		Cab-over-engine effects	578, 579
Control needed	325, 342	Size	141, 142, 143
Operating data	329, 331	Pneumatic	
Measurement through spark plug	Fe 28, Fe 48	Recapping, retreading compared with	No 28
Engines, Diesel		Retreading	
Lubrication affected by	165	Operating experience	No 28
Piston	165	Recapping compared with	No 28
Ring sticking affected by	165	Usage extent	No 28
Piston, aircraft	458	Tractor usage	Oc 26-C
<b>Testing</b>		Progress	Fe 60; 500
Aircraft		Rayon fabric used	493, 500
Laboratory, Bureau of Standards	Ap 18, Ap 19	Research	Fe 60
Production inspection, X-rays used	123, 124, 125, 126, 127, 128	Rim trends	500
Vibration	428	Size	
Crankshaft vibration	Je 26	Motor-truck	141, 142, 143
Cylinder		Standardization importance	Oc 26-A
Engine, piston ring sticking	Fe 18	Tractor	
Wear, piston ring	Fe 18; 89	Durability, factors affecting	Oc 26-B
Engine		Liquid weight merits	Oc 26-B
Cylinder head temperature measurement		Pressures	Oc 26-B
Methods compared	151, 152, 172	Puncture hazards	Oc 26-B
Spark plug adapted for	151, 152, 172	Rim types	Oc 26-C
Instruments	Je 26; Se 30, Se 38	Size	
Load-speed relationship	Je 26; Se 38	Standardization importance	Oc 26-A
Speed-load relationship	Je 26; Se 38	Testing	Oc 26-B
Temperature, measurement through spark plug	Fe 28, Fe 48	Special uses	Oc 26-B
Vibration	Je 26	Trailer, tourist, effects	Je 20, 223
Engine, aircraft		Tools, Machine, aircraft production use of	186, 188, 189
Altitude performance	263	Tractors, Army, future predicted	Fe 32
Cowling	583, 587, 591	<b>Tractors, Farm</b>	
Data analyzed	271, 272	Automobile and tractor industries compared	Fe 32, Fe 47
Laboratory, Bureau of Standards	Ap 18, Ap 19	Economic aspect	Fe 32, Fe 47; Oc 26-A
Oil stability	Ap 18; My 42	Future predicted	Fe 32, Fe 47
Piston ring sticking	Fe 19	Progress	Fe 47, Fe 48; Oc 26-A
Test engine described	263, 264	Resistance welding applications	Ag 29
Vibration	428	Rim progress	Oc 26-C; No 35
Engine, Diesel		Standardization	Jl 22
Atmospheric variations	Fe 29, Fe 51	Testing	
Combustion		Tires	
Combustion chamber shapes	23	Importance of	Oc 26-A
Photographic methods	22	Photographic method	Oc 26-B; No 36
Cooperative Fuel-Research engine used	Fe 18	Sizes	Oc 26-B
Instruments	393	Tires	
Piston ring sticking	Fe 18	Durability, factors affecting	Oc 26-B
Ring sticking problem analyzed	165	Factors affecting	No 35
Temperature variations	Fe 29, Fe 51	Liquid weight merits	Oc 26-B; No 35
Fuel, Diesel		Pressures	Oc 26-B
Apparatus used in	Je 26, Je 40; 232; 343, 393	Puncture hazards	Oc 26-B
C.F.R. engine used	Fe 30, Fe 51; 233	Size standardization importance	Oc 26-A
Engine types used in	Fe 30, Fe 51; 233	Special uses	Oc 26-B
Equipment used in	Fe 51; 232	Testing	Jn 21; Oc 26-A, Oc 26-B; No 36
Ignition quality	Fe 30, Fe 51; 232, 233, 237, 239, 240, 241, 242, 251	Traction increase	Oc 26-B; No 36
Methods used in	Fe 30; 232	Trends	Oc 26-B
Naval requirements	Fe 30, Fe 51; 232	Wheels	Oc 26-B, Oc 26-C; No 35
Submarine type engine used	Fe 30, Fe 51; 233	(See also Engines, Tractor)	
Ignition timing	Je 26		

	PAGE		PAGE
<b>Tractors, Industrial</b>		<b>Transmissions (Continued)</b>	
Air cleaner usage	Oc 26-D; 492	Drive ratios	498
Semi-trailer interchangeability		Electric type	
Desirability	140, 141, 142, 143	Classification	304
Tire size factor	141, 142, 143	Design described	217
		Differential gear not used	217
		"Feed back" principle used	217
		Electro-mechanical	304
<b>Traffic</b>		Gear engagement	
(See Roads and Streets)		Constant mesh	304, 308
<b>Trailers</b>		Sliding	304
Semi-trailers		Gear shifting	
Coupling heights	Fe 45, Fe 46; 140	Electric	305
Fifth wheel	Fe 45, Fe 46	Hydraulic pressure	305
Standardization	140, 143	Manual	305
Fifth wheel	140	Planet brake used	309
Future		Pneumatic	305
History		Throw-out shoe used	309
Tractor interchangeability		Historical data	Mr 23; 303
Desirability	140, 141, 142, 143	Hydraulic	304
Tire size factor	141, 142, 143	Hydro-mechanical	304
<b>Tourist</b>		Inertia type	
WHAT THE TOURIST TRAILER MEANS TO THE CAR MANUFACTURER	221, Je 20; Se 38	Description of	210, 211
WHERE IS THE TRAILER GOING?	Jn 32; 45, Fe 20, Fe 29	Principles of	210
Appearance factor	222	Infinitely variable	
Bodies	46, Fe 43	History	207
Brakes affected by	223	Hydraulic, hydrodynamic type	
Brakes, vacuum	500	Description of	209, 210
Braking	Je 20	Fluid flywheel	209
Bumpers affected by	222	Limitations	209
Car chassis parts affected by	222, 223	Motorcoach use	209
Car used without	222, 223	Planetary gear combined with	209
Cooling affected by	223, 224	Principle governing	209
Cooperation between car and trailer designer needed	222	Railcar use	209, 210
Coupling problems	46; 222	Hydraulic, hydrostatic type	
Coupling standardization	Jn 28; Fe 43, Fe 54; 140, 143; Je 20; Ag 25; No 23	Description	208, 209
		Disadvantages	209
		Variable throw type	208
		Wobbleplate and roller-ratchet type	
		Description of	207, 208
		Disadvantages	208
		Fuel consumption decreased by	207, 208
		Oil consumption decreased by	207, 208
		Interest in	Mr 24
		Mechanical	304
		Merits	Mr 24, Mr 27; 309, 311
		Pneumatic	304
		Self-shifting	
		Clutch, automatic friction	
		Centrifugal	211, 212
		Vacuum	212
		Clutch, overrunning or roller	211, 213
		Clutch, roller or overrunning	211, 213
		Design described	212, 213, 214, 215
		Motorcoach use	212
		Semi-automatic types	212, 213, 214, 215
		Speed variation	305, 310
		Types of	Mr 24; 303, 304
		Conventional	
		Control problems	207
		Improvement needed	207
		Merits	207
		Definition	304
		Diesel usage	305
		Electrical	
		Railcar	506
		Trolley-bus	506
		Free wheeling	My 28
		Friction-disc drive	207
		Front wheel drive	208, 224; 506
		Gear shifting	
		Automatic	Mr 24, Mr 27; 212, 213, 214, 215; 498, 499
		Progress	No 13; 493, 498, 499; De 26
		Remote control	Mr 27; 498
		Vacuum	499
		History	206
		Lubricants	
		Hypoid	560, 561, 565
		Recommendations, simplification needed	Se 40
		Requirements	311; Se 40
		Makes	
		Banker	Mr 24; 212, 213; 305
<b>Transmissions</b>			
AUTOMATIC TRANSMISSIONS	Mr 23; 206		
Automatic			
Classification	303, 304		
Clutch control	305		
Clutches	305, 310		
Control means			
Manual	303, 304, 305		
Merits	498, 499		
Remote	498, 499		
Speed	303, 304		
Syncromatic	499		
Torque	303, 304, 308		
Design described	Mr 24, Mr 27; 306, 307, 308		
Design requirements	Mr 27; 304		
Description	498, 499		
Differential			
Electric type described	216, 217		
Electro-mechanical type described	217, 218, 219		
Hydrodynamic type described	219, 220		
Hydrostatic type described	217		
Principle of	215, 216		

## Abbreviations Used:

January, Jn  
February, Fe  
March, Mr

April, Ap  
May, My  
June, Je

July, Jl  
August, Ag  
September, Se

October, Oc  
November, No  
December, De

**Transmissions (Concluded)**

	PAGE
Bendix	Mr 24; 219; 303, 305; 499
Constantinesco	211; 303, 305
Cotal	Mr 24
Daimler Fluid Flywheel	305
De Lavaud	Mr 24; 207, 208; 303, 305
Duryea	303
Electrogear	Mr 24; 217, 218; 303, 305
Entz	Mr 24; 217, 303
Evans	499
Fleischel-Cotal	Mr 24
General Electric	305
Graham	303
Hayes	303, 305
Hele-Shaw	303, 305
Hi-Flex	206
Hobbs	211; 303, 305
Lysholm-Smith	Mr 24; 209, 210; 303, 305
Macallen	Mr 24; 213
Mack	303
Manly	303, 305
Mono-Drive	304, 305, 306, 307, 308, 309, 310, 311; 506
Orient	303
Owen-Magnetic	305
Pitter	303
Prince	Mr 24; 214, 215
Radcliffe	305
Reo	305
R.v.R.	Mr 24; 308
Sneed	305
Spontan	210; 303, 305
Strong	Mr 24; 206, 207
Studebaker	305
Sturtevant	212; 305
Thomas	305
Transitorq	303, 305
Tyler Unimatic	215, 216
Warner	Mr 24; 206; 499
Waterbury	Mr 24; 209
Weiss	305
Woods Electric	303
Yellow coach	303
Motorcoach	
Control problems	Mr 27
Operating experience	306, 311
Rear engine effects	Fe 29, Fe 47; Mr 27; 306
Motor-truck	
Auxiliary transmissions	
Field for	Ag 18, Ag 19
Limitations	Ag 18
Direct gear vs. overgear	Ag 16, Ag 17, Ag 18, Ag 19
Front-wheel drive	506
Gear reduction, basic facts regarding	Ag 16
Power loss, oil churning relation to	Ag 17
Ratio specifications, simplification suggested	Ag 19
Overgear vs. direct gear	Ag 16, Ag 17, Ag 18, Ag 19
Overgearing	
Claims regarding	Ag 16, Ag 17
Disadvantages	Ag 17, Ag 18, Ag 19
Operating speeds	310
Overdrive	219; My 28; 304, 305; 499
Planetary	304, 306, 311
Progress	My 28, My 50; 303; 498, 499
Reaction member, need for	211
Roller-ratchet drive, reversible	
Control, method of	207
Description	207
Semi-automatic	
Definition of	207
Description	212, 213
Merits	207, My 28
Stepped types	207, 211
Trailer, tourist, effects	223
Trends	305, 306; De 30
(See also Gears, Transmission)	
<b>Transportation, Railroad</b>	
Air conditioning	No 20
Motor transport relation to	No 21
<b>Trucks</b>	
(See Motor-Truck)	
<b>Tubes</b>	
(See Tires and Rims)	

**U**

United States Naval Engineering Experiment Station	Fe 30, Fe 51
<b>Universal Joints</b>	
Lubrication	Fe 56
Progress	Ag 17

**V****Valves and Valve Gear**

Aircraft	
Cooling	459
Design requirements	230, 231; 481
Exhaust	Ap 26; My 46
Number per cylinder	482
Types used	481
Cooling	459
Design requirements	230, 231; 481
Exhaust	Ap 26; My 46; 494
Guides	494
Intake	494
Number per cylinder	482
Progress	494
Seats	
Flexible	My 46
Inserts, design of	Ap 26
Wear	
Flexible seat effects	Ap 26
Two vs. four valves	Ap 26
Width	Mr 29
Steels	Mr 29; 494
Tappets	494
Timing	494
Wear, factors affecting	Ap 26
Verein Deutscher Ingenieur	Se 16

**W****Welding**

AIRCRAFT SPOTWELDING EFFORTS BENEFIT MANY INDUSTRIES	99
Aircraft use of	99
Aluminum	99; 102, 104
Aluminum alloys	
Seamwelding	57, 59, 60
Spotwelding	57, 59, 64; Fe 53
Automotive parts reclaimed by	Ag 36
Body	In 34; 66; Fe 44
Equipment and methods	100, 105, 106, 110; Oc 26-C
Fundamental factors	Oc 26-C
Galvannealed steel	275
Methods and equipment	100, 105, 106, 110; Oc 26-C
Motorcoach use	120
Oxy-acetylene process used	Ag 36
Progress	121
Resistance	
Equipment described	59
Merits	Je 37
Production speed	61, 62
Progress	Je 38
Shop application	60, 61, 62, 63
Tractor usage	Ag 29
Usage extent	Je 37
Spotwelding	
Aircraft use, reasons for	
Aerodynamics	99
Appearance	99
Cost	99
Necessity	99
Cost	99, 105
Current	
Alternating vs. direct	100
Control	107, 109, 110
Timing	102, 110
Electric	Oc 26-C
Electrode material	107, 108
Equipment and methods	100, 105, 106, 110
Future	107, 110
History	99
Problems	99, 108, 109
Progress	100
Theory	118
Tractor industry use of	Je 37; Ag 29
Welding Foundation contest	Jl 28

**Wheels**

Alignment	
Data revised	Jl 22
Specifications, distribution discontinued	Mr 18
Balance	500
Progress	Oc 26-C
Trends	500

**Wrecks**

(See Accidents and Accident Prevention)	
World Petroleum Congress	Ap 35; My 28; Je 35; Jl 22; Se 13, Se 15, Se 16

